



UNSTOPPABLE POWER

# CATALOGUE

SENIX AUSTRALIA 2025/26



[SENIX.COM.AU](http://SENIX.COM.AU)



# *WE ARE* **SENIX**

We may be new to Australia, but we're not new to the game.

We've been designing and building the world's leading power tools for a long time, and, just like you - if it's not about power and durability, we're not interested.

We break barriers and shatter expectations by manufacturing Power Tools and Outdoor Power Equipment fuelled by continuous innovation and relentless passion.

Whether you're a professional tradesperson on site, a landscaper or an arborist outdoors, we understand the grit, determination, and artistry that go into your craft.

That's why we've designed products with cutting-edge technology and performance that empower you to conquer any task at hand - and why Senix has been a trusted brand in both America and Europe for years.

We deliver premium performance at exceptional value.

It's time to make the switch.

**Senix - Unstoppable Power.**

[www.senix.com.au](http://www.senix.com.au)








# THE SENIX LINEUP

From the latest in lithium-ion battery-powered tools to petrol and corded products, our range has you covered no matter the job you need to tackle.





### Light On Weight, Heavy On Power

With one 18V battery platform powering both Power Tools and OPE, unlock the power of the platform.

08



### Twice The Power, Double The Results

Sometimes the yard needs a bit more grunt - combining the power of two 18V batteries, our 2X2 platform takes your power to the next level.

84



### Embrace The Green, Unleash the Beast.

Introducing the ultimate range of 60V OPE with premium pro-grade performance. Our cutting edge 60V battery platform has been engineered to allow landscapers to tackle large yards and outdoor facilities with ease, while championing the eco-conscious advantage of battery-powered tools.

From precision lawn care to heavy-duty facility maintenance, our X6 technology stands as our best-in-class platform delivering our greatest power for every project.

100



### All Muscle, No Fuss

With our patented 4QL technology, unidirectional quantitative lubrication prevents flooding and leaks, and keeps the motor lubricated in any direction. The 4-stroke engine is lightweight, smooth and powerful, and doesn't require mixing oil with petrol.

126



### Old Faithful

Our range of classic 2-stroke and 4-stroke products gives you an option for any job in the yard.

136



### Hooked Up To Endless Power

Powerfully quiet. And quietly powerful. Reduced environmental impact with unlimited runtime.

144



# ***UNSTOPPABLE POWER***



 **SENIX**

**LIGHT ON POUNDS**

**BRUSHLESS**

**HEAVY ON**

**POWERED  
POWER**



**SENIX**

**X2**

**18V\***

**LITHIUM-ION**

™



S™



# 18V BATTERIES & CHARGERS



BATTERY				
PRODUCT CODE	B20X2	B40X2	B60X2	B80X2
Rated Voltage	18V	18V	18V	18V
Battery Type	Lithium-ion	Lithium-ion	Lithium-ion	Lithium-ion
Rated Capacity	2.0Ah	4.0Ah	6.0Ah	8.0Ah
Weight	0.4kg	0.63kg	1.06kg	1.08kg



CHARGER			
PRODUCT CODE	CHQX2	CHQX2-M-EU	CHDX2-M-EU
Rated Input Voltage	18V	18V	18V
Rated Output	4.0Ah	6.0Ah	6.0Ah Dual Port
Weight	0.4kg	0.58kg	0.83kg



Throughout the charging process chip intelligence within the charger communicates with the battery to actively control current, voltage and temperature. This results in efficient and intelligent charging that extends the life of the battery.

## CHARGING TIME PARAMETER TABLE (TO 80%)

	B20X2 2.0AH BATTERY	B40X2 4.0AH BATTERY	B60X2 6.0AH BATTERY	B80X2 8.0AH BATTERY
<b>CHQX2 4.0Ah Charger</b>	24 min	48 min	72 min	96 min
<b>CHQX2-M-EU 6.0Ah Charger</b>	24 min	32 min	48 min	64 min
<b>CHQX2-M-EU 6.0Ah Dual Port Charger (Both Batteries)</b>	48 min	64 min	96 min	128 min
<b>CHQX2-M-EU 6.0Ah Dual Port Charger (One Battery)</b>	24 min	32 min	48 min	64 min



**ONE PLATFORM  
EVERY TOOL.**

# SENIX 18V LITHIUM-ION BATTERIES

SENIX | X2 18V LITHIUM-ION



BATTERY CAPACITY ⚡

8.0Ah	144Wh
6.0Ah	108Wh
4.0Ah	72Wh
2.0Ah	36Wh

**4.0 Ah**  
RATED CAPACITY

**72 Wh**  
RATED CAPACITY

- **Enhanced Lithium Ion Cells** provide greater efficiency when using or charging the battery.
- **Temperature Protection** to prevent damage to the battery if too hot or cold to safely operate.
- **Charge Level LEDs** quickly view remaining battery charge.
- **Voltage Protection** to extend battery life.

BATTERY	X2
<b>PRODUCT CODE</b>	<b>B40X2-EU</b>
Rated Voltage	18V
Rated Capacity	4.0Ah
Battery Capacity	72Wh
Battery Type	Lithium-ion
Weight	0.63kg

WARRANTY

**3 YEAR BATTERY**



**X2 18V LITHIUM-ION**  
**8.0Ah 18V LITHIUM-ION BATTERY**

BATTERY	
<b>PRODUCT CODE</b>	<b>B80X2-EU</b>
Rated Voltage	18V
Rated Capacity	8.0Ah
Battery Capacity	144Wh
Battery Type	Lithium-ion
Weight	1.08kg



**X2 18V LITHIUM-ION**  
**6.0Ah 18V LITHIUM-ION BATTERY**

BATTERY	
<b>PRODUCT CODE</b>	<b>B60X2-EU</b>
Rated Voltage	18V
Rated Capacity	6.0Ah
Battery Capacity	108Wh
Battery Type	Lithium-ion
Weight	1.06kg



**X2 18V LITHIUM-ION**  
**2.0Ah 18V LITHIUM-ION BATTERY**

BATTERY	
<b>PRODUCT CODE</b>	<b>B20X2-EU</b>
Rated Voltage	18V
Rated Capacity	2.0Ah
Battery Capacity	36Wh
Battery Type	Lithium-ion
Weight	0.4kg

**B40SPX2**

**X2 18V BATTERY, 4.0Ah STARTER PACK**

- x2 4.0Ah 18V Lithium-ion Battery
- x1 6.0Ah Dual Port Charger



**B40X2X3**

**X2 18V BATTERY, 4.0Ah TRIPLE PACK**

- x3 4.0Ah 18V Lithium-ion Battery



# COMBO KITS

| **X2** 18V **BRUSHLESS™**

**S2K2B2-03**

## X2 18V 2 PIECE COMBO KIT S1

- x1 PDIX2-M2-EU-0    X2 18V Brushless 180Nm Impact Driver Skin
- x1 PDHX2-M2-EU-0    X2 18V Brushless 60Nm Hammer Drill Skin
- x2 B40X2                X2 18V Battery, 4.0Ah
- x1 CHX2                X2 18V Charger, 2.0Ah



**S2K3B1-01**

## X2 18V 3 PIECE COMBO KIT S1

- x1 PDIX2-M2-EU-0    X2 18V Brushless 180Nm Impact Driver Skin
- x1 PDHX2-M2-EU-0    X2 18V Brushless 60Nm Hammer Drill Skin
- x1 PAX2125-M2-EU-0    X2 18V Brushless 125mm Angle Grinder Skin
- x1 B40X2                X2 18V Battery, 4.0Ah
- x1 B20X2                X2 18V Battery, 2.0Ah
- x1 CHQX2                X2 18V Charger, 4.0Ah



**S2K5B1-01**

## X2 18V 5 PIECE COMBO KIT S1

- x1 PDIX2-M2-EU-0    X2 18V Brushless 180Nm Impact Driver Skin
- x1 PDHX2-M2-EU-0    X2 18V Brushless 60Nm Hammer Drill Skin
- x1 PAX2125-M2-EU-0    X2 18V Brushless 125mm Angle Grinder Skin
- x1 PSCX2-M3-EU-0    X2 18V Brushless 184mm Circular Saw Skin
- x1 PSRX2-M2-EU-0    X2 18V Brushless 22mm Compact Reciprocating Saw Skin
- x2 B40X2                X2 18V Battery, 4.0Ah
- x1 CHQX2                X2 18V Charger, 4.0Ah



S2K9B2-01

# X2 18V 9 PIECE COMBO KIT S1



X2 18V Brushless 180Nm Impact Driver Skin	PPIX2-M2-EU-0	x1
X2 18V Brushless 60Nm Hammer Drill Skin	PDHX2-M2-EU-0	x1
X2 18V Brushless 125mm Angle Grinder Skin	PAX2125-M2-EU-0	x1
X2 18V Brushless 184mm Circular Saw	PSCX2-M3-EU-0	x1
X2 18V Brushless 22mm Compact Reciprocating Saw Skin	PSRX2-M2-EU-0	x1
X2 18V 1/2" Brushless Mid-Torque Impact Wrench Skin	PDWX2-M2-EU-0	x1
X2 18V Brushless SDS Plus 16mm Rotary Hammer Skin	PDRX2-M2-EU-0	x1
X2 18V Oscillating Multi-Tool Skin	POX2-M-EU-0	x1
X2 18V Jobsite Blower Skin	BLVX2-M-EU-0	x1
X2 18V Battery, 4.0Ah	B40X2	x2
X2 18V Battery, 2.0Ah	B20X2	x1
X2 18V Charger, 6.0Ah Dual Port	CHDX2-M-EU	x1
Tool Bag	-	x2

# PRO COMBO KITS

| **X2** 18V **BRUSHLESS**

**S2K2B2-03-P1** AVAILABLE Q1 2026

## X2 18V 2 PIECE COMBO KIT P1

- x1 PDIX2-M5-EU-0    X2 18V Brushless 250Nm Compact Impact Driver Skin
- x1 PDHX2-M3-EU-0    X2 18V Brushless 160Nm Hammer Drill Skin
- x2 B40X2                X2 18V Battery, 4.0Ah
- x1 CHDX2-M-EU        X2 18V Charger, 6.0Ah Dual Port



**S2K3B1-01-P1** AVAILABLE Q1 2026

## X2 18V 3 PIECE COMBO KIT P1

- x1 PDIX2-M5-EU-0    X2 18V Brushless 250Nm Compact Impact Driver Skin
- x1 PDHX2-M3-EU-0    X2 18V Brushless 160Nm Hammer Drill Skin
- x1 PAX2-M1-EU-0        X2 18V Brushless 125mm Angle Grinder Skin with Paddle Switch
- x2 B40X2                X2 18V Battery, 4.0Ah
- x1 CHDX2-M-EU        X2 18V Charger, 6.0Ah Dual Port



**S2K5B1-01-P1** AVAILABLE Q1 2026

## X2 18V 5 PIECE COMBO KIT P1

- x1 PDIX2-M5-EU-0    X2 18V Brushless 250Nm Compact Impact Driver Skin
- x1 PDHX2-M3-EU-0    X2 18V Brushless 160Nm Hammer Drill Skin
- x1 PAX2-M1-EU-0        X2 18V Brushless 125mm Angle Grinder Skin with Paddle Switch
- x1 PSCX2-M3-EU-0     X2 18V Brushless 184mm Circular Saw
- x1 PSRX2-M3-EU-0     X2 18V Brushless 26mm Reciprocating Saw Skin
- x2 B40X2                X2 18V Battery, 4.0Ah
- x1 CHDX2-M-EU        X2 18V Charger, 6.0Ah Dual Port



S2K9B2-01-P1 AVAILABLE Q1 2026

# X2 18V 9 PIECE COMBO KIT P1



- X2 18V Brushless 250Nm Compact Impact Driver Skin
- X2 18V Brushless 160Nm Hammer Drill Skin
- X2 18V Brushless 125mm Angle Grinder Skin with Paddle Switch
- X2 18V Brushless 184mm Circular Saw
- X2 18V Brushless 26mm Reciprocating Saw Skin
- X2 18V 1/2" Brushless Compact Impact Wrench Skin
- X2 18V Brushless SDS Plus 24mm Rotary Hammer Skin
- X2 18V Oscillating Multi-Tool Skin
- X2 18V Jobsite Blower Skin
- X2 18V Battery, 4.0Ah
- X2 18V Charger, 6.0Ah Dual Port
- Tool Bag
- PDIX2-M5-EU-0 x1
- PDHX2-M3-EU-0 x1
- PAX2-M1-EU-0 x1
- PSCX2-M3-EU-0 x1
- PSRX2-M3-EU-0 x1
- PDWX2-M2-EU-0 x1
- PDRX2-M2-EU-0 x1
- POX2-M-EU-0 x1
- BLVX2-M-EU-0 x1
- B40X2 x3
- CHDX2-M-EU x1
- x2

# DRILLS AND DRIVERS

 **SENIX** | **X2** **18V**  **BRUSHLESS**™  
LITHIUM-ION



PDIX2-M2-EU-0

# X2 18V BRUSHLESS 180NM IMPACT DRIVER SKIN



SENIX | X2 18V LITHIUM-ION BRUSHLESS™

**BRUSHLESS**



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

**180 NM**  
MAX TORQUE

**1/4 INCH**  
HEX, QUICK LOAD COLLET

**4 SPEED**  
SELECTOR SWITCH

- **1/4" Hex Quick Load Collet** for secure, one-handed bit connection.
- **4-Speed Selector Switch** for greater control in a variety of applications.
- **Reverse Auto-Stop** automatically stops the motor after fastener is fully loosened.
- **LED Light** illuminates the work area.
- **Memory Function** remembers previous speed settings when changing battery.



LIMITED WARRANTY  
**5 YEAR TOOL**

PRODUCT CODE	PDIX2-M2-EU-0
Voltage	18V
Motor Type	Brushless
No-Load Speed	0-3300RPM
No-Load IPM	0-3800RPM
Max. Fastening Torque	180 Nm
Speed Settings	4
Chuck Capacity	1/4" Hex / 6.35 mm
Weight (only body)	0.9 kg

PDIX2-M2-EU


## X2 18V BRUSHLESS 180NM IMPACT DRIVER KIT

- x1 PDIX2-M2-EU-0 X2 18V Brushless 180nm Impact Driver Skin
- x1 B20X2 X2 18V Battery, 2.0Ah
- x1 CHX2 X2 18V Charger, 2.0Ah
- x1 - 4-piece Drill Bit Set



PDIX2-M5-EU-0

# X2 18V BRUSHLESS 250NM IMPACT DRIVER SKIN



X2 | 2X2

ONE BATTERY FITS ALL X2 AND 2X2 SERIES TOOLS

SENIX | X2 18V LITHIUM-ION BRUSHLESS



**BRUSHLESS**



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

**250 NM** MAX TORQUE

**1/4 INCH** HEX QUICK LOAD COLLET

**4 SPEED** SELECTOR SWITCH

- **1/4" Hex Quick Load Collet** for secure, one-handed bit connection.
- **4-Speed Selector Switch** for greater control in a variety of applications.
- **Precision Mode slow-start** to improve control and reduce damage to screws and the workpiece.
- **LED Light** illuminates the work area.
- **Memory Function** remembers previous speed settings when changing battery.

LIMITED WARRANTY

**5 YEAR TOOL**

PDIX2-M5-EU

## X2 18V BRUSHLESS 250NM COMPACT IMPACT DRIVER KIT

- x1 PDIX2-M5-EU-0 X2 18V Brushless 250Nm Compact Impact Driver Skin
- x1 B40X2 X2 18V Battery, 4.0Ah
- x1 CHQX2-M-EU X2 18V Charger, 6.0Ah



PRODUCT CODE	PDIX2-M5-EU-0
Voltage	18V
Motor Type	Brushless
No-Load Speed	0-3600RPM
No-Load IPM	0-4400RPM
Max. Fastening Torque	250 Nm
Speed Settings	4
Chuck Capacity	1/4" Hex / 6.35 mm
Weight (only body)	0.9 kg

PDDX2-M2-EU-0

# X2 18V BRUSHLESS 60NM DRILL/DRIVER SKIN



SENIX | X2 18V LITHIUM-ION BRUSHLESS



**60** NM  
MAX FASTENING  
TORQUE

**13** MM  
RATCHETING  
CHUCK

**17** +1  
TORQUE  
SETTINGS

**BRUSHLESS**



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

LIMITED WARRANTY

**5** YEAR  
TOOL

- **17+1 Position Clutch and 2-Speed Gear Box.**
- **13mm Keyless Ratcheting Chuck.**
- **Ergonomic Design** for balance and easier tool control.
- **LED Light** illuminates the work area.

PRODUCT CODE	PDDX2-M2-EU-0
Voltage	18V
Motor Type	Brushless
No-Load Speed	0-600 / 0-2000 rpm
Max. Fastening Torque	60 Nm
Torque Settings	17+1
Chuck Capacity	13 mm
Drilling Capacity	Steel: 13 mm Wood: 38 mm
Weight (only body)	1.2 kg

PDDX2-M4-EU-0

# X2 18V BRUSHLESS 60NM COMPACT DRILL/DRIVER SKIN



SENIX | X2 18V LITHIUM-ION BRUSHLESS™



**BRUSHLESS**



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

**60 NM**  
MAX FASTENING TORQUE

**13 MM**  
RATCHETING CHUCK

**20 +1**  
TORQUE SETTINGS

- **20+1 Position Clutch and 2-Speed Gear Box.**
- **13mm Metal Keyless Ratcheting Chuck.**
- **Ergonomic Design** for balance and easier tool control.
- **17% Shorter** (142mm Vs 170mm), **22% Lighter** than SENIX M2 Drill Driver
- **LED Light** illuminates the work area.

LIMITED WARRANTY

**5 YEAR TOOL**

PRODUCT CODE	PDDX2-M4-EU-0
Voltage	18V
Motor Type	Brushless
No-Load Speed	0-500 / 0-2000 rpm
Max. Fastening Torque	60 Nm
Torque Settings	20+1
Chuck Capacity	13 mm
Drilling Capacity	Steel: 13 mm Wood: 38 mm
Weight (only body)	0.95 kg

PDHX2-M2-EU-0

# X2 18V BRUSHLESS 60NM HAMMER DRILL SKIN



SENIX | X2 18V LITHIUM-ION BRUSHLESS



**BRUSHLESS**  
Brushless Technology provides Maximum Power, Extended Runtime and Longer Motor Life.

**60 NM**  
MAX FASTENING TORQUE

**13 MM**  
RATCHETING CHUCK

**19 +3**  
TORQUE SETTINGS

- **19+3 Position Clutch and 2-Speed Gear Box.**
- **13mm Keyless Ratcheting Chuck.**
- **Ergonomic Design** for balance and easier tool control.
- **LED Light** illuminates the work area.

LIMITED WARRANTY  
**5 YEAR TOOL**

PRODUCT CODE	PDHX2-M2-EU-0
Voltage	18V
Motor Type	Brushless
No-Load Speed	0-600 / 0-2200 rpm
No-Load IPM	0-10200/0-34000 ipm
Max. Fastening Torque	60 Nm
Torque Settings	19+3
Chuck Capacity	13 mm
Drilling Capacity	Steel: 13 mm Wood: 38 mm Masonry: 13 mm
Weight (only body)	1.27 kg

PDHX2-M2-EU

## X2 18V BRUSHLESS HAMMER DRILL KIT

- x1 PDHX2-M2-EU-0 X2 18V Brushless 60Nm Hammer Drill Skin
- x1 B20X2 X2 18V Battery, 2.0Ah
- x1 CHX2 X2 18V Charger, 2.0Ah
- x1 - 3-piece Drill Bit Set



PDHX2-H-EU-0 AVAILABLE Q1 2026

# X2 18V BRUSHLESS 160NM HAMMER DRILL SKIN



SENIX | X2 18V LITHIUM-ION BRUSHLESS



LIMITED WARRANTY  
**5** YEAR TOOL

**BRUSHLESS**



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

**160** NM  
MAX FASTENING TORQUE

**13** MM  
RATCHETING CHUCK

**19** +3  
TORQUE SETTINGS

- **20+1 Position Clutch and 2-Speed Gear Box.**
- **13mm Metal Keyless Ratcheting Chuck.**
- **Ergonomic Design** for balance and easier tool control.
- **LED Light** illuminates the work area.

PRODUCT CODE	PDHX2-H-EU-0
Voltage	18V
Motor Type	Brushless
No-Load Speed	0-500 / 0-2200 rpm
No-Load IPM	33000 ipm
Max. Fastening Torque	160 Nm
Torque Settings	20+1
Chuck Capacity	13 mm
Drilling Capacity	Steel: 13 mm Wood: 38 mm Masonry: 13mm
Weight (only body)	1.5 kg

PDHX2-H-EU

## X2 18V BRUSHLESS 160NM HAMMER DRILL KIT

- x1 PDHX2-H-EU X2 18V Brushless 160Nm Hammer Drill Skin
- x1 B40X2 X2 18V Battery, 4.0Ah
- x1 CHQX2-M-EU X2 18V Charger, 6.0Ah



PDRX2-M2-EU-0

# X2 18V BRUSHLESS SDS PLUS 16MM ROTARY HAMMER SKIN

SENIX | X2 18V LITHIUM-ION BRUSHLESS™



X2 | 2X2

ONE BATTERY FITS ALL X2 AND 2X2 SERIES TOOLS



LIMITED WARRANTY

5 YEAR TOOL

## BRUSHLESS™



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

- **SDS-Plus Chuck** for maximum security and quick, tool-free bit changes.
- **Dust Collection Shroud** with 22mm vacuum connection to control debris around the worksite.
- **Auxiliary Handle and Anti-Vibration Design** reduce user fatigue and provide enhanced control during periods of extended use.
- **LED Light** illuminates the work area.
- **Dual Functions:** drill and hammer modes to match a variety of applications.
- **1.2 Joule Impact Energy** allows for sustained drilling through dense materials.

4,500 IMPACTS PER MINUTE

SDS PLUS CHUCK STYLE

1.2 JOULE IMPACT ENERGY

PRODUCT CODE	PDRX2-M2-EU-0
Voltage	18V
Motor Type	Brushless
No-Load Speed	0-810 rpm
Impacts Per Minute	4,500 bpm
Impact Energy	1.2 Joules
Chuck Type	SDS Plus
Forward and Reverse Switch	Yes
Variable Speed	Trigger
Drilling Capacity	Masonry: 16 mm Steel: 10 mm Wood: 13 mm
LED Light	Yes
Weight (only body)	1.7 kg

PDRX2-M4-EU-0

# X2 18V BRUSHLESS SDS PLUS 24MM ROTARY HAMMER SKIN

SENIX | X2 18V LITHIUM-ION BRUSHLESS



X2 | 2X2

ONE BATTERY FITS ALL X2 AND 2X2 SERIES TOOLS



LIMITED WARRANTY

5 YEAR TOOL

**BRUSHLESS**



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

4,350 IMPACTS PER MINUTE

SDS PLUS CHUCK STYLE

2 JOULE IMPACT ENERGY

- **SDS-Plus Chuck** for maximum security and quick, tool-free bit changes.
- **Dust Collection Shroud** with 22mm vacuum connection to control debris around the worksite.
- **Auxiliary Handle and Depth Guide** for increased accuracy and durability.
- **Vibration-Absorbing Back Handle and Side Handle** further reduce vibration and increase comfort on the job.
- **LED Light** illuminates the work area.
- **3 Mode:** Rotary hammer, Hammer only, Rotary only.
- **Improved Over Mold with Customized Micro-Texture** for optimum grip and user comfort.
- **2 Joule Impact Energy** allows for sustained drilling through dense materials.

PRODUCT CODE	PDRX2-M4-EU-0
Voltage	18V
Motor Type	Brushless
No-Load Speed	0-980 rpm
Impacts Per Minute	4,350 bpm
Impact Energy	2 Joules
Chuck Type	SDS Plus
Forward and Reverse Switch	Yes
Variable Speed	Trigger
Drilling Capacity	Masonry: 24 mm Steel: 10 mm Wood: 13 mm
LED Light	Yes
Weight (only body)	1.7 kg

# IMPACT WRENCHES

 SENIX |  X2 18V<sup>®</sup>  LITHIUM-ION  BRUSHLESS™



WARNING: This product can expose you to chemicals including lead, a chemical known in the State of California to cause cancer, and dust, which can cause or contribute to respiratory disease. For more information go to [www.p65warnings.ca.gov](http://www.p65warnings.ca.gov).

PDWX2-M12-EU-0

# X2 18V BRUSHLESS 3/8" 75NM RATCHET SKIN



SENIX | X2 18V LITHIUM-ION BRUSHLESS™

**BRUSHLESS™**



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.



**0-250 RPM**

**75 NM MAX TORQUE** | **3/8 INCH SQUARE ANVIL**

- **75 Nm of Max Torque at 250 RPM** for rapid fastener removal.
- **3/8" Square Anvil with Ball Detent Retention** for fast and secure socket connections.
- **LED Light** illuminates the work area.
- **Slim Profile** allows for greater access to confined work spaces.

PRODUCT CODE	PDWX2-M12-EU-0
Voltage	18V
Motor Type	Brushless
Max Torque	75 Nm
No-Load Speed	0-250 rpm
Drive Size & Drive Type	3/8" Square Drive with Ball Detent Retention
Forward and Reverse Switch	Yes
Variable Speed Trigger	Yes
Fastening Capacity	Standard Bolt: 6.35 mm - 14.28 mm High Tensile Bolt: 6.35 mm - 12.7 mm
LED Light	Yes
Weight (only body)	1.3 kg
Length	411 mm



LIMITED WARRANTY  
**5 YEAR TOOL**

PDWX2-M13-EU-0

# X2 18V BRUSHLESS 1/2" 75NM RATCHET SKIN



X2 | 2X2

ONE BATTERY FITS ALL X2 AND 2X2 SERIES TOOLS

SENIX | X2 18V LITHIUM-ION BRUSHLESS

BRUSHLESS



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.



LIMITED WARRANTY

5 YEAR TOOL

0-250 RPM  
75 NM MAX TORQUE | 1/2 INCH SQUARE ANVIL

- **75 Nm of Max Torque at 250 RPM** for rapid fastener removal.
- **1/2" Square Anvil with Ball Detent Retention** for fast and secure socket connections.
- **LED Light** illuminates the work area.
- **Slim Profile** allows for greater access to confined work spaces.

PRODUCT CODE	PDWX2-M13-EU-0
Voltage	18V
Motor Type	Brushless
Max Torque	75 Nm
No-Load Speed	0-250 rpm
Drive Size & Drive Type	1/2" Square Drive with Ball Detent Retention
Forward and Reverse Switch	Yes
Variable Speed Trigger	Yes
Fastening Capacity	Standard Bolt: 6.35 mm - 14.28 mm High Tensile Bolt: 6.35 mm - 12.7 mm
LED Light	Yes
Weight (only body)	1.3 kg
Length	411 mm

PDWX2-M13-EU

## X2 18V BRUSHLESS 1/2" 75NM RATCHET KIT

- x1 PDWX2-M13-EU-0 X2 18V Brushless 1/2" 75Nm Ratchet Skin
- x1 B20X2 X2 18V Battery, 2.0Ah
- x1 CHX2 X2 18V Charger, 2.0Ah



PDWX2-M11-EU-0

# X2 18V BRUSHLESS 3/8" COMPACT IMPACT WRENCH SKIN

SENIX | X2 18V LITHIUM-ION BRUSHLESS™



**BRUSHLESS**

**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.



**330 NM** FASTENING TORQUE

**494 NM** NUT BUSTING TORQUE

**3/8 INCH** SQUARE DRIVE

- **3/8 inch Square Anvil with Friction Ring Retention** for easy and secure socket connection.
- **4-Speed Selector Switch** offers greater control over a wide range of fastening applications.
- **Improved Over Mold with Customized Micro Texture** for optimum grip and user comfort.
- **LED Light** illuminates the work area.
- **Memory Function** remembers previous speed settings when changing battery.

LIMITED WARRANTY

**5 YEAR TOOL**

PRODUCT CODE	PDWX2-M11-EU-0
Voltage	18V
Motor Type	Brushless
No-Load Speed	3200 rpm
No-Load IPM	4000 ipm
Max. Fastening Torque	330 nm
Nut Busting Torque	494 nm
Speed Power Selection	4-Mode
Square Drive	3/8"
Fastening Capacities	Standard bolt: M10-M20 High tensile bolt: M10-M16
Weight (only body)	1.2 kg

PDWX2-M2-EU-0

# X2 18V BRUSHLESS 1/2" COMPACT IMPACT WRENCH SKIN

SENIX | X2 18V LITHIUM-ION BRUSHLESS™



**BRUSHLESS**

**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.



**330 NM** FASTENING TORQUE

**494 NM** NUT BUSTING TORQUE

**1/2 INCH** SQUARE DRIVE

- **1/2 inch Anvil with Friction Ring** for quick socket changes.
- **4-Speed Selector Switch** offers greater control over a wide range of fastening applications.
- **Improved Over Mold with Customized Micro Texture** for optimum grip and user comfort.
- **LED Light** illuminates the work area.
- **Memory Function** remembers previous speed settings when changing battery.

LIMITED WARRANTY

**5 YEAR TOOL**

PDWX2-M2-EU

## X2 18V BRUSHLESS 1/2" COMPACT IMPACT WRENCH KIT

- x1 PDWX2-M2-EU-0 X2 18V Brushless 1/2" 330Nm Impact Wrench
- x1 B20X2 X2 18V Battery, 2.0Ah
- x1 CHX2 X2 18V Charger, 2.0Ah
- x1 - 3-piece Impact Socket Set (17mm, 19mm, 21mm)



PRODUCT CODE	PDWX2-M2-EU-0
Voltage	18V
Motor Type	Brushless
No-Load Speed	3200 rpm
No-Load IPM	4000 ipm
Max. Fastening Torque	330 nm
Nut Busting Torque	494 nm
Speed Power Selection	4-Mode
Square Drive	1/2"
Fastening Capacities	Standard bolt: M10-M20 High tensile bolt: M10-M16
Weight (only body)	1.2 kg

PDWX2-M7-EU-0

# X2 18V BRUSHLESS 1/2" MID-TORQUE IMPACT WRENCH SKIN

SENIX | X2 18V LITHIUM BRUSHLESS™



## BRUSHLESS



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

- **1/2" Anvil with Friction Ring** for quick socket changes.
- **3-Speed Selector Switch** offers greater control over a wide range of fastening applications.
- **Improved Over Mold with Customized Micro Texture** for optimum grip and user comfort.
- **LED Light** illuminates the work area.
- **Memory Function** remembers previous speed settings when changing battery.

**750 NM** MAX FASTENING TORQUE

**1000 NM** NUT BUSTING TORQUE

**1/2 INCH** SQUARE DRIVE

LIMITED WARRANTY

**5 YEAR TOOL**



PRODUCT CODE	PDWX2-M7-EU-0
Voltage	18V
Motor Type	Brushless
No-Load Speed	0-1000/0-1500/0-2300 rpm
No-Load IPM	0-1500/0-2000/0-3000 ipm
Max. Fastening Torque	750 Nm
Nut-busting Torque	1000 Nm
Speed Power Selection	3-mode
Square Drive	1/2"
Fastening Capacity	Standard Bolt: M10-M24 High Tensile Bolt: M10-M16
LED Light	Yes
Weight (only body)	1.9 kg

PDWX2-M3-EU-0

# X2 18V BRUSHLESS 1/2" HIGH-TORQUE IMPACT WRENCH SKIN

SENIX | X2 18V LITHIUM BRUSHLESS™



**BRUSHLESS**



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

**1000 NM** MAX FASTENING TORQUE

**1500 NM** NUT BUSTING TORQUE

**1/2 INCH** SQUARE DRIVE

- **1/2" Anvil with Friction Ring** for quick socket changes.
- **3-Speed Selector Switch** offers greater control over a wide range of fastening applications.
- **Improved Over Mold with Customized Micro Texture** for optimum grip and user comfort.
- **LED Light** illuminates the work area.
- **Memory Function** remembers previous speed settings when changing battery.

LIMITED WARRANTY  
**5 YEAR TOOL**



PRODUCT CODE	PDWX2-M3-EU-0
Voltage	18V
Motor Type	Brushless
No-Load Speed	0-750/0-1500/0-1800 rpm
No-Load IPM	0-1150/0-2100/0-2400 ipm
Max. Fastening Torque	1000 Nm
Nut-busting Torque	1500 Nm
Speed Power Selection	3-mode
Square Drive	1/2"
Fastening Capacity	Standard Bolt: M12-M30 High Tensile Bolt: M10-M24
LED Light	Yes
Weight (only body)	2.7 kg

PDWX2-M5-EU-0

# X2 18V BRUSHLESS 3/4" HIGH-TORQUE IMPACT WRENCH SKIN

SENIX | X2 18V LITHIUM BRUSHLESS™



## BRUSHLESS



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

**1500 NM** MAX FASTENING TORQUE

**2000 NM** NUT BUSTING TORQUE

**3/4 INCH** SQUARE ANVIL

- **3/4" Square Anvil with Friction Ring Retention** for quick socket changes.
- **3-Speed Selector Switch** offers greater control over a wide range of fastening applications.
- **Reverse Auto-Stop** automatically stops the motor after fastener is fully loosened.
- **LED Light** illuminates the work area.
- **Memory Function** remembers previous speed settings when changing battery.

LIMITED WARRANTY

**5 YEAR TOOL**

PRODUCT CODE	PDWX2-M5-EU-0
Voltage	18V
Motor Type	Brushless
No-Load Speed	0-750/0-1500/0-1800 rpm
No-Load IPM	0-1150/0-2100/0-2400 ipm
Max. Fastening Torque	1500 Nm
Nut-busting Torque	2000 Nm
Speed Power Selection	3-mode
Drive Type	3/4" Square Anvil with Friction Ring Retention
Fastening Capacity	Standard Bolt: M12-M36 High Tensile Bolt: M10-M27
LED Light	Yes
Weight (only body)	2.95 kg



PDWX2-M6-EU-0

# X2 18V BRUSHLESS 1" HIGH-TORQUE IMPACT WRENCH SKIN

SENIX | X2 18V LITHIUM-ION BRUSHLESS™



## BRUSHLESS



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

LIMITED WARRANTY

5 YEAR TOOL



- **1" Anvil with Friction Ring** for quick socket changes.
- **4-Speed Selector Switch** offers greater control over a wide range of fastening applications.
- **Improved Over Mold with Customized Micro Texture** for optimum grip and user comfort.
- **Integrated Lanyard Loop** allows for safer use and easier storage.
- **LED Light** illuminates the work area.
- **Memory Function** remembers previous speed settings when changing battery.

2000 NM MAX FASTENING TORQUE

2450 NM NUT BUSTING TORQUE

1 INCH SQUARE ANVIL

PRODUCT CODE	PDWX2-M6-EU-0
Voltage	18V
Motor Type	Brushless
No-Load Speed	0-1000/0-1100/0-1400/0-1650 rpm
No-Load IPM	0-1330/0-1620/0-2100/0-2450 ipm
Max. Fastening Torque	2000 Nm
Nut-busting Torque	2450 Nm
Speed Power Selection	4-mode
Square Drive	1"
Fastening Capacity	Standard Bolt: M12-M42 High Tensile Bolt: M10-M32
LED Light	Yes
Weight (only body)	1.3 kg

PDWX2-M6-EU

## X2 18V BRUSHLESS 1" HIGH-TORQUE IMPACT WRENCH KIT


- x1 PDWX2-M13-EU-0 X2 18V Brushless 1" High-Torque Impact Wrench Skin
- x1 B80X2 X2 18V Battery, 8.0Ah
- x1 CHQX2 X2 18V Charger, 4.0Ah



GGX2-M1-EU-0

# X2 18V BRUSHLESS GREASE GUN SKIN

SENIX | X2 18V LITHIUM BRUSHLESS



X2 | 2X2

ONE BATTERY FITS ALL X2 AND 2X2 SERIES TOOLS

## BRUSHLESS



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.




LIMITED WARRANTY

**5** YEAR TOOL

**10,000** PSI OPERATING PRESSURE


**221** ML/MIN FLOW RATE



PRODUCT CODE	GGX2-M1-EU-0
Voltage	18V Max.
Operating Pressure	5,000 / 10,000 PSI
Flow Rate	103 -221ml/min
Grease Compatibility	NLGI No.0-No.2
Cartridge Size	450g
Hose Length	1.2m
Weight (Tool Only)	3.5kg

S2K2B2-02B

# X2 18V 2 PIECE GREASE GUN AND 3/4" HIGH-TORQUE IMPACT WRENCH KIT



X2 | 2X2

ONE BATTERY FITS ALL X2 AND 2X2 SERIES TOOLS

SENIX | X2 18V LITHIUM-ION BRUSHLESS



KIT CONTENT		
x1	GGX2-M1-EU-0	X2 18V Brushless Grease Gun Skin
x1	PDWX2-M5-EU-0	X2 18V 3/4" Brushless High-Torque Impact Wrench Skin
x2	B40X2	X2 18V Battery 4.0Ah
x1	CHDX2-M-EU	X2 18V Charger, 6.0Ah Dual Port



# SAWS



**SENIX**



**18V**  
LITHIUM-ION

**BRUSHLESS**



PSRX2-M5-EU-0

# X2 18V BRUSHLESS 12MM RECIPROCATING SAW SKIN




SENIX | X2 18V LITHIUM-ION BRUSHLESS

**BRUSHLESS**



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.



- **2,800 Strokes Per Minute (SPM)** for faster and more efficient cutting.
- **Pivoting Shoe** provides consistent contact with material for a smoother cut.
- **12mm Stroke Length** reduces cut time by removing more material with each stroke.
- **Tool-Less Blade Release** allows for quick and easy blade changes.
- **Variable Speed Trigger** allows for precise control in a variety of applications
- **LED Light** illuminates the work area.

**3,000 STROKES**  
PER MINUTE

**12 MM**  
STROKE LENGTH

LIMITED WARRANTY

**5 YEAR**  
TOOL

PRODUCT CODE	PSRX2-M5-EU-0
Voltage	18V
Motor Type	Brushless
No-Load Speed	0-3000 spm
Cutting Capacities	Wood: 255mm Mild Steel Pipe: 130mm
Weight (only body)	1.7 kg

PSRX2-M2-EU-0

# X2 18V BRUSHLESS 22MM COMPACT RECIPROCATING SAW SKIN

SENIX | X2 18V LITHIUM-ION BRUSHLESS



**BRUSHLESS**



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.



+

**3,000** STROKES PER MINUTE

**22** MM STROKE LENGTH

LIMITED WARRANTY

**5** YEAR TOOL

- **3,000 Strokes Per Minute (SPM)** for faster and more efficient cutting.
- **Pivoting Shoe** provides consistent contact with material for a smoother cut.
- **22mm Stroke Length** reduces cut time by removing more material with each stroke.
- **Tool-Less Blade Release** allows for quick and easy blade changes.
- **Variable Speed Trigger** allows for precise control in a variety of applications
- **LED Light** illuminates the work area.

PSRX2-M2-EU

## X2 18V BRUSHLESS 22MM COMPACT RECIPROCATING SAW KIT

- x1 PSRX2-M2-EU-0
- x1 B20X2
- x1 CHQX2-M-EU
- x2 18V Brushless 22mm Compact Reciprocating Saw Skin
- x2 18V Battery, 2.0Ah
- x2 18V Charger, 2.0Ah



PRODUCT CODE	PSRX2-M2-EU-0
Voltage	18V
Motor Type	Brushless
No-Load Speed	0-3000 spm
Cutting Capacities	Wood: 255mm Mild Steel Pipe: 130mm
Weight (only body)	1.7 kg

PSRX2-M3-EU-0

# X2 18V BRUSHLESS 26MM RECIPROCATING SAW SKIN



SENIX | X2 18V LITHIUM-ION BRUSHLESS



**BRUSHLESS**



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

**HIGH POWER**

**3,200** SPM  
NO LOAD SPEED

**26** MM  
STROKE LENGTH

- **3,200 Strokes Per Minute (SPM)** for faster and more efficient cutting.
- **26mm Stroke Length** reduces cut time by removing more material with each stroke.
- **All-Metal Gearing and Gear Case** provide maximum durability.
- **Lever Action Quick-Lock Blade Clamp** allows fast and easy blade changes.
- **Improved Coverage Mold** with Customized Micro Texture for optimum grip and user comfort.
- **Variable Speed Trigger** provides ultimate control when cutting different materials.
- **LED Light** illuminates the work area.

PRODUCT CODE	PSRX2-M3-EU-0
Voltage	18V
Motor Type	Brushless
Stroke Length	26 mm
No-Load Speed	0-3200 spm
Cutting Capacities	Wood: 255mm Mild Steel Pipe: 130mm
Weight (only body)	2.6 kg



LIMITED WARRANTY

**5** YEAR  
TOOL

PSCX2-M3-EU-0

# X2 18V BRUSHLESS 184MM COMPACT RECIPROCATING SAW SKIN

| X2 18V LITHIUM-ION BRUSHLESS



X2 | 2X2

ONE BATTERY FITS ALL X2 AND 2X2 SERIES TOOLS



**4,200** RPM  
NO LOAD SPEED

**184** MM  
SAW BLADE DIAMETER

**55°**  
MAX BEVEL CAPACITY

## BRUSHLESS



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

- **Integrated Dust Port on Guard** and included vac adapter.
- **Improved Coverage Mold with Customized Micro Texture** for optimum grip and user comfort.
- **Variable Speed Trigger** provides ultimate control when cutting different materials.
- **LED Light** illuminates the work area.
- **Tool-free Bevel Adjustment** allows for precise cuts up to 55° to match a variety of cutting applications.

## PRODUCT CODE

PSCX2-M3-EU-0

Voltage	18V
Motor Type	Brushless
Saw Blade Diameter	184 mm
No-Load Speed	4200 rpm
Arbor Size	20mm
Maximum Cut Depth	90° : 62 mm 45° : 44 mm
Weight (only body)	2.8 kg



LIMITED WARRANTY

**5** YEAR TOOL

PSJX2-M3-EU-0

# X2 18V BRUSHLESS JIGSAW SKIN

SENIX | X2 18V LITHIUM-ION BRUSHLESS™



LIMITED WARRANTY  
**5** YEAR TOOL



**3,000** SPM  
NO LOAD SPEED

**23** MM  
STROKE LENGTH

PRODUCT CODE	PSJX2-M3-EU-0
Voltage	18V
Motor Type	Brushless
Stroke Length	23 mm
No-Load Speed	0-3,000 spm
Bevel Capacity	0-45 degrees / 4 positions
Cutting Capacities	Wood: 135mm Steel: 10mm
Weight (only body)	2.6 kg

**BRUSHLESS™**

**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

- **Lock-on Button** allows continuous operation and reduces user fatigue.
- **3 Orbital Settings Plus Straight Cutting** for use in a wide range of materials.
- **Lever Action Quick-Lock Blade Clamp** allows fast and easy blade changes.
- **Improved Coverage Mold** with Customized Micro Texture for optimum grip and user comfort.
- **Variable 6-speed Control Dial (800-3,000 SPM)** enables user to match the speed to the application.
- **Base Bevels and Locks from 0°- 45° Left or Right** for more precise bevel cuts.
- **Quick and Easy Blade Changes** with tool-free blade release.
- **LED Light** illuminates the work area.



# SANDERS



**SENIX**



**18V**   
LITHIUM-ION

**BRUSHLESS**



PSX2-M1-EU-0

# X2 18V 25MM RANDOM ORBITAL SANDER SKIN

SENIX | X2 18V LITHIUM-ION



**3** SPEED  
POWER  
SELECTION

LIMITED WARRANTY

**5** YEAR  
TOOL

**3.2** MM  
ORBIT  
DIAMETER

**11,000** OPM  
NO LOAD  
SPEED

- **Integrated Dust Port on Guard** and included vac adapter.
- **Improved Coverage Mold with Customized Micro Texture** for optimum grip and user comfort.
- **Replaceable 8-hole Hook-and-Loop Sanding Pad** for quick, easy paper changing.




PRODUCT CODE	PSX2-M1-EU-0
Voltage	18V
Motor Type	Brushless
No-Load Speed	7000/9500/11000 opm
Pad Size	125mm (5")
Settings	1
Orbit Diameter	3.2mm
Weight (only body)	0.9kg

PSX2-M3-EU-0

# X2 18V BRUSHLESS *DETAIL SANDER SKIN*

SENIX | X2 18V LITHIUM BRUSHLESS™



X2 | 2X2

ONE BATTERY FITS ALL X2 AND 2X2 SERIES TOOLS



**3** SPEED  
POWER SELECTION

**1.6** MM  
ORBIT DIAMETER

**11,000** OPM  
NO LOAD SPEED

**BRUSHLESS**



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

- **Compact Size** for precision and control in tight spaces.
- **Improved Coverage Mold with Customized Micro Texture** for optimum grip and user comfort.
- **Replaceable 8-hole Hook-and-Loop Sanding Pad** for quick, easy paper changing.
- **Ergonomically Designed Body and Grip** for increased operator comfort.



LIMITED WARRANTY

**5** YEAR  
TOOL

PRODUCT CODE	PSX2-M3-EU-0
Voltage	18V
Motor Type	Brushless
No-Load Speed	11000 opm
Pad Size	136 mm x 95.5 mm
Settings	3 Speed
Orbit Diameter	1.6 mm
Weight (only body)	0.8 kg

PSX2-M2-EU-0

# X2 18V BRUSHLESS SHEET SANDER SKIN

SENIX | X2 18V LITHIUM-ION BRUSHLESS



X2 | 2X2

ONE BATTERY FITS ALL X2 AND 2X2 SERIES TOOLS



**3** SPEED  
POWER  
SELECTION

**1.6** MM  
ORBIT  
DIAMETER

**14,000** OPM  
NO LOAD  
SPEED

## BRUSHLESS



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

PRODUCT CODE	PSX2-M2-EU-0
Voltage	18V
Motor Type	Brushless
No-Load Speed	10000/12000/14000 opm
Pad Size	107 mm x 113 mm
Settings	3 Speed
Orbit Diameter	1.6 mm
Weight (only body)	1.1 kg

- **Improved Coverage Mold with Customized Micro Texture** for optimum grip and user comfort.



LIMITED WARRANTY

**5** YEAR  
TOOL





# MULTI-TOOL

 **SENIX** | **X2** **18V**  **BRUSHLESS**™  
LITHIUM-ION

POX2-M-EU-0

# X2 18V BRUSHLESS OSCILATING MULTI-TOOL SKIN

SENIX | X2 18V LITHIUM-ION BRUSHLESS™



BRUSHLESS

Brushless Technology provides Maximum Power, Extended Runtime and Longer Motor Life.



LIMITED WARRANTY

5 YEAR TOOL

+

20,000 MAX OPM

6 SPEED SELECTOR DIAL

4° OSCILATION ANGLE

- **Up to 20,000 Oscillations Per Minute** for maximum performance in any setting.
- **4° Oscillation Angle** for fast, aggressive cutting and sanding.
- **6-Speed Selector Dial** allows for precise control in a variety of applications.
- **Comes With** wood saw blade, wood/metal saw blade, detail sanding backing pad, sanding paper.
- **Tool-Free Clamp System** enables quick and effortless accessory installation.
- **LED Light** illuminates the work area.



POX2-M2-EU

## X2 18V BRUSHLESS OSCILATING MULTI-TOOL KIT

- x1 POX2-M-EU-0 X2 18V Brushless Oscillating Multi-Tool Skin
- x1 B20X2 X2 18V Battery, 2.0Ah
- x1 CHX2 X2 18V Charger, 2.0Ah



PRODUCT CODE	POX2-M-EU-0
Voltage	18V
Motor Type	Brushless
No-Load Speed	10,000-20,000 opm
Oscilation Angle	4° (2x2°)
Speed Settings	6
Weight (only body)	1.7 kg

# ANGLE GRINDERS



**SENIX**




**18V**  
LITHIUM-ION

**BRUSHLESS**



PAX2125-M2-EU-0

# X2 18V BRUSHLESS 125MM ANGLE GRINDER SKIN



X2 | 2X2

ONE BATTERY FITS  
ALL X2 AND 2X2  
SERIES TOOLS

SENIX | X2 18V LITHIUM-ION BRUSHLESS



8,500 RPM  
NO LOAD  
SPEED

125 MM  
MAX. DISC  
DIAMETER

M14  
SPINDLE  
THREAD

**BRUSHLESS**



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

- **Spindle Lock** for a quick and easy wheel change.
- **Compact and Ergonomic Design** for comfort during prolonged use.
- **3-Position Side Handle** for user control and versatility.

PRODUCT CODE	PAX2125-M2-EU-0
Voltage	18V
Motor Type	Brushless
No-Load Speed	8,500 rpm
Max. Disc Diameter	125 mm
Spindle Thread	M14
Weight (only body)	1.7 kg

LIMITED WARRANTY

5 YEAR  
TOOL

PAX2125-M2-EU

## X2 18V BRUSHLESS 125MM ANGLE GRINDER KIT

- x1 PAX2125-M2-EU-0 X2 18V Brushless 125mm Angle Grinder Skin
- x1 B20X2 X2 18V Battery, 2.0Ah
- x1 CHX2 X2 18V Charger, 2.0Ah
- x1 - Cutting Disc Tin



PAX2-M1-EU-0

# X2 18V BRUSHLESS 125MM ANGLE GRINDER SKIN WITH PADDLE SWITCH SKIN



X2 | 2X2

ONE BATTERY FITS ALL X2 AND 2X2 SERIES TOOLS

SENIX | X2 18V LITHIUM-ION BRUSHLESS



+

8,500 RPM NO LOAD SPEED

125 MM MAX. DISC DIAMETER

M14 SPINDLE THREAD

**BRUSHLESS**



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

- **Spindle Lock** for a quick and easy wheel change.
- **Compact and Ergonomic Design** for comfort during prolonged use.
- **3-Position Side Handle** for user control and versatility.
- **Tool-free Guard Change.**
- **4-Speed Settings** for greater control.

LIMITED WARRANTY

5 YEAR TOOL

PAX-M1-EU-0

## X2 18V BRUSHLESS 125MM ANGLE GRINDER SKIN WITH PADDLE SWITCH KIT

- x1 PAX2-M1-EU-0 X2 18V Brushless 125mm Angle Grinder Skin with Paddle Switch
- x1 B40X2 X2 18V Battery, 4.0Ah
- x1 CHQX2-M-EU X2 18V Charger, 6.0Ah



PRODUCT CODE	PAX2-M1-EU-0
Voltage	18V
Motor Type	Brushless
No-Load Speed	3000/4500/6000/8500RPM
Max. Disc Diameter	125 mm
Spindle Thread	M14
Weight (only body)	1.9 kg



# ***JOBSITE CLEANUP***

 **SENIX** |  **X2** **18V**<sup>®</sup>  **LITHIUM-ION**

BLVX2-M-EU-0

# X2 18V JOBSITE BLOWER SKIN

SENIX | X2 18V LITHIUM-ION



- **Low 32m/s; Middle 44m/s; High 81m/s, 3-Speed Regulation** for more flexible operation.
- **Light and Convenient**, easy to operate.
- **Soft Grip on Handle** for comfortable operation.
- **Reverse Vacuum Function**.

PRODUCT CODE	BLVX2-M-EU-0
Voltage	18V
Motor Type	Brushed
No-Load Speed	0-19,000 rpm
Wind Volume	Max. 2.0m <sup>3</sup> /min
Wind Speed	Low (32 m/s) Middle (44 m/s) High (81 m/s)
Weight (only body)	1.36 kg

**212 M<sup>3</sup>/HR**  
MAX AIR FLOW

**280 KM/HR**  
AIR SPEED

**3 SPEED SETTINGS**



LIMITED WARRANTY

**5 YEAR TOOL**

# LIGHTING



**SENIX**

**X2**

**18V**   
LITHIUM-ION

**BRUSHLESS**





PLX2-M-EU-0

# X2 18V 200 LUMENS FLASH LIGHT SKIN



SENIX | X2 18V LITHIUM-ION



- **200 Lumens** of brightness.
- **27 Hours Runtime** (on a 4A battery).
- **120 Degree Rotating Head** for flexible, focused illumination.
- **Locking The Button in the ON State** eliminates the need to constantly hold it down when working with both hands.
- **Improved Coverage Mold with Customized Micro Texture** for optimum grip and user comfort.

**200 LUMENS**  
LIGHT OUTPUT

**120°**  
LIGHTING ANGLE ADJUSTMENT

**27 HOURS**  
MAX RUNTIME ON A 4A BATTERY

LIMITED WARRANTY

**5 YEAR TOOL**




PRODUCT CODE	PLX2-M-EU-0
Voltage	18V
Lamp Type	LED
Lamp Numbers	1
Light Output	200 Lumens
Runtime	27 Hours Max (on 4A battery)
Weight (only body)	0.27 kg

PLX2-M3-EU-0

# X2 18V TASK LIGHT SKIN

SENIX | X2 18V LITHIUM-ION



X2 | 2X2

ONE BATTERY FITS ALL X2 AND 2X2 SERIES TOOLS



**3,000** LUMENS  
LIGHT OUTPUT

**120°** LIGHTING ANGLE  
ADJUSTMENT

**40** HOURS  
MAX RUNTIME ON A 4A BATTERY

- **Durable Overmould Handle.**
- **3,000 Lumens** of brightness.
- **40 Hours Runtime** (on a 4A battery).
- **Adjust the Warmth (warm white to cool white) and Lumen Output** depending on requirement.
- **The Base Has Fixable Screws** for easy mounting.



PRODUCT CODE	PLX2-M3-EU-0
Voltage	18V
Lamp Type	LED
Lamp Numbers	1
Light Output	3,000 Lumens
Colour Temperature	2700 K (cooler) - 6500 K (warmer)
Light Adjustments	4-Mode
Runtime	40 Hours Max (on 4A battery)
Weight (only body)	0.27 kg

LIMITED WARRANTY

**5** YEAR  
TOOL

# FANS



**SENIX**

**X2**

**18V**  
LITHIUM-ION

**BRUSHLESS**



**FNX2-M2-EU-0**

# X2 18V CLAMP FAN SKIN

SENIX | X2 18V LITHIUM-ION BRUSHLESS™



- **290 Degree Multi-Directional Rotating Head** to easily direct airflow.
- **Unmatched Airflow for its size at over 306m<sup>3</sup>/hr.**
- **Ability to Clamp to Materials Up to 38mm Thick.**
- **2-speed Settings.**
- **18h Runtime** (on 5.0Ah battery).

LIMITED WARRANTY  
**5 YEAR TOOL**



**10 CM** FAN DIAMETER  
**290°** PIVOTING ANGLE  
**306 M<sup>3</sup>/HR** AIR VOLUME

**BRUSHLESS™**

**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

PRODUCT CODE	FNX2-M2-EU-0
Voltage	18V
Fan Diameter	10 cm
Speed setting	2 speed
Air Volume	306m <sup>3</sup> /hr
Air speed	(9 m/s) (4.5 m/s)
Noise Level	65 dB
Pivoting angle of head	290°
Pivoting angle of bracket	300°
Running Time	18h on high speed (5.0 Ah)
Weight (only body)	0.42 kg (prototype)

**FNX2-M1-EU-0**

# X2 18V HYBRID FAN SKIN

SENIX | X2 18V LITHIUM ION BRUSHLESS™



**BRUSHLESS™**



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.



**18 CM**  
FAN  
DIAMETER

**210°**  
PIVOTING  
ANGLE

**1,282 M3/HR**  
AIR  
VOLUME

LIMITED WARRANTY

**5 YEAR  
TOOL**

- **Equipped with Continuously Variable Speed and a 210° Pivoting Head.**
- **Locking The Button in the ON State** eliminates the need to constantly hold it down.
- **Improved Coverage Mold with Customized Micro Texture** for optimum grip and user comfort.
- **Multiple Hanging Options** - freestanding, hang hooks, and wall mount.
- **Hybrid Power Supply** - Powered by X2 18V batteries or plugged in by extension cord.
- **USB Port Charging (Type-A & Type-C)** for personal devices.
- **LED Light with Two Settings** illuminates the workspace or campsite.

PRODUCT CODE	FNX2-M1-EU-0
Voltage	18V
Fan Diameter	18.4cm (7.25")
USB port TypeC	5V 2.1A/TypeA:5V 2.1A
Air volume	1,282 m3/hr Max.
Air speed	(12.5m/s)(45km/h)
Noise Level	75dB
Pivoting angle of head	210°
The lumen of the lamp	65LM (low)/130LM(High)
Weight(Tool Only)	2.3kg
Single Pack runtime	4.5h on high speed (6Ah)

# OUTDOOR POWER EQUIPMENT

 SENIX |  X2 18V  LITHIUM-ION



BLAX2-M3-EU-0

# X2 18V BRUSHLESS 750M<sup>3</sup>/HR BLOWER SKIN



SENIX | X2 18V LITHIUM-ION BRUSHLESS

**BRUSHLESS**



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.



**+**

**12.5** M<sup>3</sup>/MIN  
AIR VOLUME

**45** M/S  
WIND SPEED

**VARIABLE** SPEED TRIGGER

LIMITED WARRANTY  
**5** YEAR TOOL

- **Soft Grip on Handle** for comfortable operation.
- **Variable Speed Trigger and Cruise Control** for precision and comfort.
- **Larger Tubing Outlet Design** gives high air speed and volume.
- **Smart PCB** gives constant airflow.
- **Lightweight and Rear Mounted Battery** for superior balance and control with less efforts.

BLAX2-M3-EU

## X2 18V BRUSHLESS 750M<sup>3</sup>/HR BLOWER KIT

- x1 PAX2125-M2-EU-0 X2 18V Brushless 750m<sup>3</sup>/hr Blower Skin
- x1 B40X2 X2 18V Battery, 4.0Ah
- x1 CHX2 X2 18V Charger, 2.0Ah



PRODUCT CODE	BLAX2-M3-EU-0
Voltage	18V
Motor Type	Brushless
Max. Wind Speed	45 m/s
Max. Wind Volume	12.5 m <sup>3</sup> /min
Weight (only body)	2.3 kg

GTX2-L-EU-0

# X2 18V 26CM (10") COMPACT LINE TRIMMER SKIN

SENIX | X2 18V LITHIUM-ION

PRODUCT CODE	GTX2-L-EU-0
Voltage	18V
Motor Type	Brushed
No-Load Speed	8,500 rpm
Cutting Capacity	260 mm
Line Type	1.6 mm x1
Feeding System	Semi-automatic
Weight (only body)	1.7 kg



**8,500 RPM** NO-LOAD SPEED

**260 MM** CUTTING WIDTH

LIMITED WARRANTY  
**5 YEAR TOOL**



- **An Adjustable Auxiliary Handle** allows you to change the angle for more comfortable operation.
- **Detachable Split Shaft** for easy transport and storage.
- **180 Degree Head Rotation** for more convenient trimming.
- **Single Line 1.6mm (0.063") Spool** for low vibration.

GTX2-L-EU


## X2 18V 26CM (10") COMPACT LINE TRIMMER KIT

- x1 GTX2-L-EU-0 X2 18V 26cm (10") Compact Line Trimmer Kit
- x1 B20X2 X2 18V Battery, 2.0Ah
- x1 CHX2 X2 18V Charger, 2.0Ah



GTX2-M-EU-0

# X2 18V 26CM (10") TELESCOPING LINE TRIMMER SKIN



X2 | 2X2

ONE BATTERY FITS ALL X2 AND 2X2 SERIES TOOLS

SENIX | X2 18V LITHIUM-ION

PRODUCT CODE	GTX2-M-EU-0
Voltage	18V
Motor Type	Brushed
No-Load Speed	8,500 rpm
Cutting Capacity	260 mm
Line Type	1.6 mm x1
Feeding System	Semi Automatic
Weight (only body)	2.0 kg

- **26cm Telescopic Tube** allows adjustment to the perfect height and angle.
- **An Adjustable Auxiliary Handle** allows you to change the angle for more comfortable operation.
- **Adjustable Head** for different cutting angles.
- **Soft Grip On Handle** for comfortable operation.



**8,500 RPM**  
NO-LOAD SPEED

**260 MM**  
CUTTING WIDTH

LIMITED WARRANTY

**5 YEAR TOOL**



GTX2-M3-EU-0

# X2 18V 38CM (15") LINE TRIMMER SKIN

SENIX | X2 18V LITHIUM-ION




X2 | 2X2  
ONE BATTERY FITS  
ALL X2 AND 2X2  
SERIES TOOLS

PRODUCT CODE	GTX2-M3-EU-0
Voltage	18V
Motor Type	Brushless
No-Load Speed	6,200 rpm Max.
Cutting Capacity	380 mm   15 inch
Line Type	1.6 mm x1
Feeding System	Bump Feed
Weight (only body)	3.0 kg

**BRUSHLESS**



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.



**6,200 RPM** NO-LOAD SPEED

**320 MM** CUTTING WIDTH

LIMITED WARRANTY  
**5 YEAR TOOL**



- **Two Speed Adjustment** for greater control depending on application.
- **Adjustable Auxiliary Handle** allows for great control depending on the preferred angle of use.
- **Bump Feed Trimmer Head** has a semi-automatic winding system for easy line-loading.
- **Two-Section Structure**, more convenient storage and transportation.

GTX2-M3-EU

## X2 18V BRUSHLESS 38CM (15") LINE TRIMMER KIT A2

- x1 GTX2-M3-EU-0 X2 18V Brushless 38cm (15") Line Trimmer Skin
- x1 B40X2 X2 18V Battery, 4.0Ah
- x1 CHX2 X2 18V Charger, 2.0Ah



HTX2-M2-EU-0

# X2 18V 47CM (18") HEDGE TRIMMER SKIN

SENIX | X2 18V LITHIUM-ION



- **467mm Dual-Action Laser-Cut Blades (With Alu. Support)** for outstanding cutting performance.
- **Soft Grip On Handle** for comfortable operation.
- **Full Wrap-Around Front Handle** for easy horizontal and vertical cutting.

PRODUCT CODE	HTX2-M2-EU-0
Voltage	18V
Motor Type	Brushed
No-Load Speed	2,600 spm
Cutting Length	467 mm
Tooth Space	28 mm
Cutting Capacity	20 mm
Blade Thickness	1.5 mm
Weight (only body)	2.5 kg

HTX2-M2-EU

## X2 18V 47CM (18") HEDGE TRIMMER KIT

- x1 HTX2-M2-EU-0
- x1 B20X2
- x1 CHQX2-M-EU
- x2 18V 47cm (18") Hedge Trimmer Skin
- x2 18V Battery, 2.0Ah
- x2 18V Charger, 2.0Ah



HTPX2-M-EU-0

# X2 18V 45CM (18") POLE HEDGE TRIMMER SKIN



SENIX | X2 18V LITHIUM-ION



**2,600 SPM** NO-LOAD SPEED

**450 MM** CUTTING LENGTH

**20 MM** TOOTH SPACE

LIMITED WARRANTY  
**5 YEAR TOOL**

- **450mm Dual-Action Laser-Cut Blades (With Alu. Support)** for outstanding cutting performance.
- **6 Step Adjustable Head** for different cutting angles.
- **Telescopic Functionality** helps you reach some of your tallest trimming areas easily and safely.
- **Quick Clip Knob Fix System** to adjust the height easily.

PRODUCT CODE	HTPX2-M-EU-0
Voltage	18V
Motor Type	Brushed
No-Load Speed	2,600 spm
Cutting Length	450 mm
Tooth Space	20 mm
Angle Modulation	-90°, -60°, -30°, 0°, 30°, 60°
Collapsing Length	1.85 - 2.35 m
Weight (only body)	3.2 kg

HTPX2-M-EU

## X2 18V 45CM (18") POLE HEDGE TRIMMER KIT

- x1 HTPX2-M-EU-0 X2 18V 45cm (18") Pole Hedge Trimmer Kit
- x1 B20X2 X2 18V Battery, 2.0Ah
- x1 CHX2 X2 18V Charger, 2.0Ah



CSPX2-M-EU-0

# X2 18V 25CM (10") POLE SAW SKIN

|



## 2,800 RPM

NO-LOAD SPEED

## 5.2 M/S

MAX CHAIN SPEED

## 2.5 M


MAX LENGTH

LIMITED WARRANTY

# 5 YEAR TOOL

- **5.2m/s Chain Speed** for smooth cutting performance.
- **6-Step Multi-Angle Adjustment** allows access to hard to reach branches.
- **Aluminum Tube with 2.3m Max. Telescopic Length** helps you reach some of your tallest trimming areas easily and safely.
- **Quick Clip Fix System** allows pole to be adjusted quickly and easily, without the need for a tool.
- **25cm (10") Bar Length.**

PRODUCT CODE	CSPX2-M-EU-0
Voltage	18V
Motor Type	Brushed
No-Load Speed	2,800 rpm
Chain Speed	5.2 m/s
Chain & Bar Length	20 cm
Angle Modulation	-60°, -30°, 0°, 30°, 60°
Collapsing Length	1.85 - 2.35 m
Oil Tank	60 ml
Chain Pitch	9.5mm
Chain Gauge	1.1mm
Weight (only body)	3.0 kg



CSPX2-M-EU

## X2 18V 25CM (10") POLE SAW KIT

- x1 CSPX2-M-EU-0 X2 18V 25cm (10") Pole Saw Kit
- x1 B20X2 X2 18V Battery, 2.0Ah
- x1 CHX2 X2 18V Charger, 2.0Ah



CSX2-M1-EU-0

# X2 18V BRUSHLESS 25CM (10") TOP HANDLE CHAINSAW SKIN




SENIX | X2 18V LITHIUM-ION BRUSHLESS

## BRUSHLESS



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

11 M/S  
CHAIN  
SPEED



6,000 RPM  
NO-LOAD  
SPEED



- **Our Lightweight Top Handle** is designed to maximise user comfort when cutting at heights and angles.
- **Efficient Brushless Motor** with improved performance and higher torque.
- **Handguard with Kickback Break**, stops within 0.15s for best in class user safety.
- **High 11m/s Chain Speed.**

LIMITED WARRANTY  
**5 YEAR  
TOOL**

CSX2-M1-EU

## X2 18V BRUSHLESS 25CM (10") TOP HANDLE CHAINSAW KIT

- x1 CSX2-M1-EU-0 X2 18V Brushless 25cm (10") Top Handle Chainsaw Skin
- x1 B40X2 X2 18V Battery, 4.0Ah
- x1 CHX2 X2 18V Charger, 2.0Ah



PRODUCT CODE	CSX2-M1-EU-0
Voltage	18V
Motor Type	Brushless
No-Load Speed	6,000 rpm
Chain Speed	11 m/s
Bar Length	25 cm
Oil Tank	60 ml
Chain Pitch	9.5mm
Chain Gauge	1.1mm
Weight (only body)	2.5 kg

CSX2-M5-EU-0

# X2 18V BRUSHLESS 12CM (5") PRUNING SAW SKIN

SENIX | X2 18V LITHIUM-ION BRUSHLESS



X2 | 2X2

ONE BATTERY FITS ALL X2 AND 2X2 SERIES TOOLS

**BRUSHLESS**



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.



**4,500 RPM**  
NO-LOAD SPEED

**12 CM**  
CHAIN & BAR LENGTH

**8 M/S**  
CHAIN SPEED

LIMITED WARRANTY

**5 YEAR TOOL**

- **Protective Cover** for safer operation.
- **Improved Coverage Mold with Customized Micro Texture** for optimum grip and user comfort.
- **Lightweight Design**, compact and easy to use with one hand.

PRODUCT CODE	CSX2-M5-EU-0
Voltage	18V
Motor Type	Brushless
No-Load Speed	4,500 rpm
Chain Speed	8 m/s
Bar Length	12 cm
Chain Pitch	7.6mm
Chain Gauge	1.1mm
Weight (only body)	1.1 kg

CSX2-M5-EU

## X2 18V BRUSHLESS 12CM (5") PRUNING SAW KIT

- x1 CSX2-M5-EU-0 X2 18V Brushless 12cm (5") Pruning Saw Skin
- x1 B20X2 X2 18V Battery, 2.0Ah
- x1 CHQX2-M-EU X2 18V Charger, 2.0Ah



GPSX2-M1-EU-0

# X2 18V BRUSHLESS PRUNING SHEARS SKIN



SENIX | X2 18V LITHIUM-ION BRUSHLESS



LIMITED WARRANTY  
**5** YEAR TOOL

**BRUSHLESS**



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

**6,000 CUTS** ON A 4.0AH BATTERY

**38 MM** MAX. CUTTING CAPACITY

**0.3 SECONDS** CUT CYCLE TIME

- **Makes Over a Massive 6,000 Cuts** on a 4.0Ah battery (cutting 10mm branches).
- **38mm Max Cut Capacity with a 0.3s Cycle Time** allows you to make ongoing cuts quickly.
- **High Quality Japanese SK5 Blades** have been used to ensure maximum durability and blade life.
- **Dual Blade-Height Settings** enable the user to cut at the optimal level depending on the application.
- **Soft Overmould Handle** for comfort in periods of extended use.

PRODUCT CODE	GPSX2-M1-EU-0
Voltage	18V
Motor Type	Brushless
Max cutting capacity	38mm (setting 1) 28mm (setting 2)
Cut Cycle time	0.3s
Blade type	Japanese SK5
Runtime	Over 6,000 cuts (on a 4.0Ah battery)
Weight	1.1kg

LPPX2-L-EU

# X2 18V 32CM (13") LAWN MOWER KIT

SENIX | X2 18V LITHIUM-ION



- **30 L Grass Bag with Full Collection Indicator** conveniently detaches to dispose of grass clippings.
- **2-in-1 Mulching or Bagging** gives the user options for how to dispose of clippings.
- **The Folding Handle and an Additional Carry Handle** allow for easy storage.
- **5 Position Single Point Height Adjustment Lever** tailors grass cutting height from 25-65mm.

**32 CM**  
CUTTING  
WIDTH

**30 L**  
COLLECTION  
BAG

PRODUCT CODE	LPPX2-L-EU
Voltage	18V
Motor Type	Brushed
No-Load Speed	3,500 rpm
Cutting Capacity	32 cm (13")
Height Adjustment	25-65 mm, 5 positions
Wheel Size (F/R)	14 cm / 14 cm
Collection Bag	30 L
Weight (only body)	10.0 kg

KIT CONTENT		
x1	LPPX2-L-EU-0	X2 18V 32cm (13") Lawn Mower Skin
x1	B40X2	X2 18V Battery, 4.0Ah
x1	CHQX2-M-EU	X2 18V Charger, 4.0A



LIMITED WARRANTY

**5 YEAR**  
TOOL

SENIX | X2 18V LITHIUM-ION BRUSHLESS

# COMBO KITS




X2 | 2X2  
ONE BATTERY FITS  
ALL X2 AND 2X2  
SERIES TOOLS

S2K2B1-07 SENIX | X2 18V LITHIUM-ION BRUSHLESS

## X2 18V 2 PIECE OPE COMBO KIT 7A

- x1 X2 18V Brushless 38cm (15") Line Trimmer Skin
- x1 X2 18V Brushless 750m<sup>3</sup>/hr Blower Skin
- x1 X2 18V Battery, 4.0Ah
- x1 X2 18V Charger, 2.0Ah
- x2 Line Trimmer Spools



S2K2B1-06 SENIX | X2 18V LITHIUM-ION BRUSHLESS

## X2 18V 2 PIECE POWER GARDEN COMBO KIT 6A

- x1 X2 18V Brushless 12cm (5") Pruning Saw Skin
- x1 X2 18V Grass and Shrub Shear
- x1 X2 18V Battery, 2.0Ah
- x1 X2 18V Charger, 2.0Ah



# RUNTIME MATRIX



**X2 18V BRUSHLESS 750M3/HR BLOWER SKIN**



**X2 18V 38CM (15") LINE TRIMMER SKIN**



**X2 18V BRUSHLESS 38CM (15") LINE TRIMMER SKIN**



**X2 18V 47CM (18") HEDGE TRIMMER SKIN**

PRODUCT CODE	BLAX2-M3-EU	GTX2-M3-EU	GTX2-M3-EU-0	HTX2-M-EU-0
<b>2Ah</b>	6min	29min	5min (high speed)	32min
<b>2.5Ah</b>	8min	37min	6min (high speed)	41min
<b>4Ah</b>	13min	59min	9min (high speed)	65min
<b>5Ah</b>	16min	74min	12min (high speed)	81min
<b>6Ah</b>	19min	88min	14min (high speed)	97min
<b>8Ah</b>	25min	118min	19min (high speed)	134min

BATTERY VOLTAGE

RUNTIME



**X2 18V 45CM (18") POLE HEDGE TRIMMER SKIN**



**X2 18V 25CM (10") POLE SAW SKIN**



**X2 18V BRUSHLESS 25CM (10") TOP HANDLE CHAINSAW SKIN**



**X2 18V BRUSHLESS 12CM (5") PRUNING SAW SKIN**

PRODUCT CODE	HTPX2-M-EU-0	CSPX2-M-EU-0	CSX2-M1-EU-0	CSX2-M5-EU-0
<b>2Ah</b>	33min	26 cuts of 100mmx100mm timber	50 cuts of 100mmx100mm timber	42 cuts of 100mmx100mm timber
<b>2.5Ah</b>	42min	32 cuts of 100mmx100mm timber	62 cuts of 100mmx100mm timber	64 cuts of 100mmx100mm timber
<b>4Ah</b>	67min	52 cuts of 100mmx100mm timber	103 cuts of 100mmx100mm timber	96 cuts of 100mmx100mm timber
<b>5Ah</b>	84min	65 cuts of 100mmx100mm timber	130 cuts of 100mmx100mm timber	128 cuts of 100mmx100mm timber
<b>6Ah</b>	100min	78 cuts of 100mmx100mm timber	157 cuts of 100mmx100mm timber	160 cuts of 100mmx100mm timber
<b>8Ah</b>	134min	104 cuts of 100mmx100mm timber	200 cuts of 100mmx100mm timber	168 cuts of 100mmx100mm timber

BATTERY VOLTAGE

RUNTIME

# 2X2

**BRUSHLESS™**



**X2 | 2X2**

**ONE BATTERY FITS  
ALL X2 AND 2X2  
SERIES TOOLS**

**Elevate your yard work with 36V power.** Combine (2) SENIX 18V batteries to unlock SENIX 36V powerhouse, delivering increased power & longer runtime for challenging tasks.

**SENIX 18V Battery Technology:** Compatible and interchangeable with all SENIX 36V products when using two batteries.



# 2X2

# THE POWER



**SENIX**

**2X2**

**36V III**

18V + 18V LITHIUM-ION

# OUTDOOR POWER EQUIPMENT

 **SENIX** | **2X2** **36V**  **BRUSHLESS**  
18V + 18V LITHIUM-ION

BLAX2-M2-EU-0

# 2X2 36V BRUSHLESS 1190M<sup>3</sup>/H BLOWER SKIN



X2 | 2X2

ONE BATTERY FITS  
ALL X2 AND 2X2  
SERIES TOOLS

SENIX | 2X2 36V BRUSHLESS  
18V + 18V LITHIUM-ION

**BRUSHLESS**



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.



**1,190** M<sup>3</sup>/HR  
MAX AIRFLOW

**235** KM/H  
AIR SPEED

**CRUISE** CONTROL FUNCTION

- **Powerful Airflow of 1190m<sup>3</sup>/h** reaching speeds of up to 235 km/h.
- **Cruise Control Function** for ease of use during extended periods.
- **Turbo Mode** enhances airflow and greatly improves power.
- **Improved Overmould with Customised Micro-Texture** for optimal grip and comfort.
- **Detachable Nozzle** for compact storage and transportation.

BLAX2-M2-EU

## 2X2 36V BRUSHLESS 1190M<sup>3</sup>/H BLOWER KIT


- x1 BLAX2-M2-EU-0 2X2 36V Brushless 1190 m<sup>3</sup>/h Blower Skin
- x2 B60X2 X2 18V Battery, 4.0Ah
- x1 CHDX2-M-EU X2 18V Charger, 6.0Ah Dual Port



PRODUCT CODE	BLAX2-M2-EU-0
Voltage	36V
Motor Type	Brushless
Airflow	1,190 m <sup>3</sup> /hr
Air Speed	235 km/hr
Weight (only body)	2.7 kg

HTX2-M3-EU-0

# 2X2 36V BRUSHLESS 610MM (24") HEDGE TRIMMER SKIN



X2 | 2X2

ONE BATTERY FITS  
ALL X2 AND 2X2  
SERIES TOOLS

SENIX | 2X2 36V **BRUSHLESS**  
18V + 18V LITHIUM-ION



**BRUSHLESS**



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

- **610mm Dual Action Laser-Cut Blades** deliver exceptional cutting performance.
- **Max Cut Thickness of 25mm** allows you to tackle thick hedges in a single pass.
- **Blade Tip Guard** protect blades from damage.
- **Full Wrap-Around Front Handle** for easy horizontal and vertical cutting.
- **Improved Overmould with Customised Micro-Texture** for optimum grip and user comfort.

**3,400 SPM**  
NO-LOAD SPEED

**610 MM**  
BLADE LENGTH

PRODUCT CODE	HTX2-M3-EU-0
Voltage	36V
Motor Type	Brushed
No-Load Speed	3,400 spm
Blade Length	610 mm
Cutting Capacity	20 mm
Blade Thickness	1.5 mm
Weight (only body)	2.5 kg

CSX2-M2-EU-0

# 2X2 36V BRUSHLESS 40CM (16") REAR HANDLE CHAINSAW SKIN



SENIX | 2X2 36V **BRUSHLESS**  
18V + 18V LITHIUM-ION



20 M/S  
CHAIN  
SPEED

11,000 RPM  
NO-LOAD  
SPEED

**BRUSHLESS**

**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

- **Powerful 20m/s Chain Speed** for smooth cutting performance.
- **Automatic Chain Brake** immediately halts the chain upon kickback to enhance user protection.
- **Tool-Free** chain and bar replacement mechanism.
- **Improved Overmould with Customised Micro-Texture** for optimum grip and user comfort.
- **Up to 90 Cuts per Charge** on 2x 4.0Ah batteries.

CSX2-M2-EU

## 2X2 36V BRUSHLESS 40CM (16") REAR HANDLE CHAINSAW KIT

- x1 CSX2-M2-EU-0 2X2 36V Brushless 40cm (16") Rear Handle Chainsaw Skin
- x2 B60X2 X2 18V Battery, 4.0Ah
- x1 CHDX2-M-EU X2 18V Charger, 6.0Ah Dual Port



PRODUCT CODE	CSX2-M2-EU-0
Voltage	18V
Motor Type	Brushless
No-Load Speed	11,000 rpm
Chain Speed	20 m/s
Bar Length	40 cm
Oil Tank	350 ml
Chain Pitch	9.5mm
Chain Gauge	1.1mm
Weight (only body)	3.2 kg

S2K2B0-01

POWER UP AND GO GREEN!

# 2X2 36V BRUSHLESS POWER HEAD AND 40CM (16") LINE TRIMMER ATTACHMENT SKINS

SENIX | 2X2 36V BRUSHLESS  
18V + 18V LITHIUM-ION

### BRUSHLESS




**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

7300RPM Max,  
3kg Weight.

Variable Speed Trigger with Lock-off Lever for added safety.

# 2X2

All Attachments Fit BOTH X6 and 2X2 Power Heads.



X2 | 2X2

ONE BATTERY FITS ALL X2 AND 2X2 SERIES TOOLS

LIMITED WARRANTY

**5 YEAR  
TOOL**

THE ULTIMATE TOOL for residential and commercial users who want maximum flexibility with minimal space and hassle.



**AGT008**

**LINE TRIMMER  
ATTACHMENT FOR  
2X2 AND X6  
POWER HEAD**

**AET002**

**EDGER  
ATTACHMENT FOR  
2X2 AND X6  
POWER HEAD**

**ABC002**

**BRUSHCUTTER  
ATTACHMENT FOR  
2X2 AND X6  
POWER HEAD**

**ACT002**

**CULTIVATOR  
ATTACHMENT FOR  
2X2 AND X6  
POWER HEAD**



**ACSP005**

**POLE SAW  
ATTACHMENT FOR  
2X2 AND X6  
POWER HEAD**



**AEP001**

**EXTENSION FOR  
2X2 AND X6  
POWER HEAD**




**AHTP002**

**ARTICULATING  
HEDGE TRIMMER  
ATTACHMENT FOR  
2X2 AND X6  
POWER HEAD**

S2K2B2-06

# 2X2 36V POWER HEAD AND LINE TRIMMER ATTACHMENT KIT



X2 | 2X2

ONE BATTERY FITS ALL X2 AND 2X2 SERIES TOOLS

SENIX | 2X2 36V LITHIUM-ION BRUSHLESS™

**BRUSHLESS**

**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.



**6,000 RPM** NO-LOAD SPEED

**400 MM** CUTTING WIDTH



PRODUCT CODE	S2K2B2-06
Maximum Voltage	36V
Rated Output Power	600W
Motor Type	Brushless
No Load Speed	MAX: 6,000RPM
Line Type	2.4 mm X2
Line Length	4m
Cutting Capacity	40cm
Weight (Tool only)	3.4kg

KIT CONTENT		
x1	PHX2-M-EU-0	2X2 36V Brushless Power Head Skin
x1	AGT008	Line Trimmer Attachment for 2X2 Power Head
x2	B40X2	2 pcs X2 20V Batteries, 4.0Ah
x1	CHDX2-M-EU	X2 18V Charger, 6.0Ah Dual Port

- **40cm CUTTING DIAMETER WITH 2.4mm TWISTED DIAMOND LINE** — Effortlessly slices through thick weeds, grass, and overgrowth for a clean cut every time.
- **ENGINEERED FOR COMFORT AND CONTROL** — Soft ergonomic arm support and pivoting handle deliver balance and ease during extended use for edging and trimming.
- **STRAIGHT SHAFT DESIGN WITH ERGONOMIC HANDLE** — Provides superior control for trimming and edging at any angle.
- **ECO MODE TO MAXIMISE EFFICIENT PERFORMANCE** — Boost runtime by 30% for light trimming while conserving battery for bigger jobs.

SENIX | 2X2 36V BRUSHLESS  
(18V) + (18V) LITHIUM-ION

PH2X2KIT2-M

# COMBO KIT


## 2X2 36V POWER HEAD 3-IN-1 COMBO KIT

- x1 PHX2-M-EU-0 2X2 36V Brushless Power Head Skin
- x1 AGT008 Line Trimmer Attachment for 2X2 Power Head
- x1 AET002 Edger Attachment for for 2X2 and X6 Power Head
- x1 AHTP002 Articulating Hedge Trimmer Attachment for for 2X2 and X6 Power Head
- x2 B40X2 X2 18V Battery, 4.0Ah
- x1 CHDX2-M-EU X2 18V Charger, 6.0Ah Dual Port



**LPPX2-M4-EU**

# 2X2 36V BRUSHLESS 38CM (15") PUSH LAWN MOWER KIT




**X2 | 2X2**

ONE BATTERY FITS ALL X2 AND 2X2 SERIES TOOLS



PRODUCT CODE	LPPX2-M4-EU
Voltage	36V
Motor Type	Brushless
No-Load Speed	3,200 rpm
Cutting Capacity	38 cm (15")
Height Adjustment	25-75 mm, 6 positions
Wheel Size (F/R)	16 cm / 18 cm
Collection Bag	45 L
Weight (only body)	14.5 kg

KIT CONTENT		
x1	LPPX2-M4-EU-0	2X2 36V Brushless 38cm (15") Lawn Mower Skin
x2	B40X2	X2 18V Battery, 4.0Ah
x1	CHDX2-M-EU	X2 18V Charger, 6.0A Dual Port



- **2-IN-1 MULCHING & BAGGING SYSTEM** — Choose between mulching for a healthier lawn or bagging for a cleaner finish — all in one tool-free switch.
- **SINGLE-POINT HEIGHT ADJUSTMENT** — One lever gives you full control over 6 cutting positions from 25mm to 75mm — no more adjusting each wheel.
- **UP TO 45 MINUTES OF RUNTIME** — Powered by two 5.0Ah batteries (included) to mow most small yards on a single charge.
- **ECO MODE FOR EXTENDED RUNTIME** — Automatically adjusts power for lighter mowing, conserving energy without sacrificing cut quality.
- **FOLDING HANDLES FOR COMPACT STORAGE** — Space-saving design makes this mower garage- and shed-friendly.
- **ON-BOARD BATTERY CHARGE INDICATOR** — Know exactly how much juice you've got left — no surprises mid-mow.
- **ALL-TERRAIN WHEELS WITH RUBBER TREAD** — Grip and go with confidence, even on slopes or uneven lawns.

**BRUSHLESS**



Brushless Technology provides Maximum Power, Extended Runtime and Longer Motor Life.

**38 CM** CUTTING WIDTH

**45 L** COLLECTION BAG


LPPX2-M2-EU

# 2X2 36V BRUSHLESS 43CM (17") PUSH LAWN MOWER KIT



PRODUCT CODE	LPPX2-M2-EU
Voltage	36V
Motor Type	Brushless
No-Load Speed	3,200 rpm
Cutting Capacity	43 cm (17")
Height Adjustment	25-75 mm, 6 positions
Wheel Size (F/R)	18cm / 22cm
Collection Bag	50 L
Weight (only body)	15.2 kg

KIT CONTENT		
x1	LPPX2-M2-EU-0	2X2 36V Brushless 43cm (17") Lawn Mower Skin
x2	B50X2	X2 18V Battery, 4.0Ah
x1	CHDX2-M-EU	X2 18V Charger, 6.0A Dual Port



- **2-IN-1 MULCHING & BAGGING SYSTEM** — Choose between mulching for a healthier lawn or bagging for a cleaner finish — all in one tool-free switch.
- **SINGLE-POINT HEIGHT ADJUSTMENT** — One lever gives you full control over 6 cutting positions from 25mm to 75mm — no more adjusting each wheel.
- **UP TO 45 MINUTES OF RUNTIME** — Powered by two 5.0Ah batteries (included) to mow most small yards on a single charge.
- **ECO MODE FOR EXTENDED RUNTIME** — Automatically adjusts power for lighter mowing, conserving energy without sacrificing cut quality.
- **FOLDING HANDLES FOR COMPACT STORAGE** — Space-saving design makes this mower garage- and shed-friendly.
- **ON-BOARD BATTERY CHARGE INDICATOR** — Know exactly how much juice you've got left — no surprises mid-mow.
- **ALL-TERRAIN WHEELS WITH RUBBER TREAD** — Grip and go with confidence, even on slopes or uneven lawns.

BRUSHLESS




Brushless Technology provides Maximum Power, Extended Runtime and Longer Motor Life.

43 CM CUTTING WIDTH

50 L COLLECTION BAG

LSPX2-H-EU

# 2X2 36V BRUSHLESS 46CM (18") PUSH LAWN MOWER KIT



X2 | 2X2

ONE BATTERY FITS  
ALL X2 AND 2X2  
SERIES TOOLS



PRODUCT CODE	LSPX2-H-EU
Voltage	36V
Motor Type	Brushless
No-Load Speed	2800-3450 rpm
Cutting Capacity	46 cm (18")
Height Adjustment	25-80mm, 7 positions
Wheel Size (F/R)	20cm / 25cm
Collection Bag	55 L
Weight (only body)	25.6 kg

KIT CONTENT		
x1	LSPX2-H-EU-0	2X2 36V Brushless 46cm (18") Push Lawnmower Skin
x2	B40X2	X2 18V Battery, 4.0Ah
x1	CHDX2-M-EU	X2 18V Charger, 6.0A Dual Port



- **3-IN-1 MULCHING, SIDE DISCHARGE AND BAGGING SYSTEM** — Choose between mulching for a healthier lawn or bagging for a cleaner finish — all in one tool-free switch.
- **SINGLE-POINT HEIGHT ADJUSTMENT** — One lever gives you full control over 7 cutting positions from 25mm to 80mm — no more adjusting each wheel.
- **UP TO 45 MINUTES OF RUNTIME** — Powered by two 5.0Ah batteries (included) to mow most small yards on a single charge.
- **ADJUSTABLE SPEED MODE** — Automatically adjusts power for lighter mowing, conserving energy without sacrificing cut quality.
- **FOLDING HANDLES FOR COMPACT STORAGE** — Space-saving design makes this mower garage- and shed-friendly.
- **ON-BOARD BATTERY CHARGE INDICATOR** — Know exactly how much juice you've got left — no surprises mid-mow.
- **ALL-TERRAIN WHEELS WITH RUBBER TREAD** — Grip and go with confidence, even on slopes or uneven lawns.



**BRUSHLESS**



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

**46 CM** CUTTING WIDTH

**55 L** COLLECTION BAG

LSSX2-H-EU

# 2X2 36V BRUSHLESS 46CM (18") SELF-PROPELLED LAWN MOWER KIT



X2 | 2X2

ONE BATTERY FITS  
ALL X2 AND 2X2  
SERIES TOOLS



PRODUCT CODE	LSSX2-H-EU
Voltage	36V
Motor Type	Brushless
No-Load Speed	3,200 rpm
Cutting Capacity	46 cm (18")
Height Adjustment	25-80mm, 7 positions
Wheel Size (F/R)	20cm / 25cm
Collection Bag	55L
Weight (only body)	28.1kg

### KIT CONTENT

x1	LSSX2-H-EU-0	2X2 36V Brushless 46cm (18") Self-Propelled Lawnmower Skin
x2	B40X2	X2 18V Battery, 4.0Ah
x1	CHDX2-M-EU	X2 18V Charger, 6.0A Dual Port

- 3-IN-1 MULCHING, SIDE DISCHARGE AND BAGGING SYSTEM** — Choose between mulching for a healthier lawn or bagging for a cleaner finish — all in one tool-free switch.
- SINGLE-POINT HEIGHT ADJUSTMENT** — One lever gives you full control over 7 cutting positions from 25mm to 80mm — no more adjusting each wheel.
- UP TO 45 MINUTES OF RUNTIME** — Powered by two 5.0Ah batteries (included) to mow most small yards on a single charge.
- ECO MODE FOR EXTENDED RUNTIME** — Automatically adjusts power for lighter mowing, conserving energy without sacrificing cut quality.
- FOLDING HANDLES FOR COMPACT STORAGE** — Space-saving design makes this mower garage- and shed-friendly.
- ON-BOARD BATTERY CHARGE INDICATOR** — Know exactly how much juice you've got left — no surprises mid-mow.
- ALL-TERRAIN WHEELS WITH RUBBER TREAD** — Grip and go with confidence, even on slopes or uneven lawns.



### BRUSHLESS



Brushless Technology provides Maximum Power, Extended Runtime and Longer Motor Life.

**46** CM  
CUTTING  
WIDTH

**55** L  
COLLECTION  
BAG

# RUNTIME MATRIX



**2X2 36V  
BRUSHLESS 1190  
M³/H BLOWER  
SKIN**



**2X2 36V  
BRUSHLESS HEDGE  
TRIMMER SKIN**



**2X2 36V  
BRUSHLESS 40CM  
(16") REAR HANDLE  
CHAINSAW SKIN**



**2X2 36V  
BRUSHLESS 38CM  
(15") PUSH LAWN  
MOWER KIT**



**2X2 36V  
BRUSHLESS 43CM  
(17") PUSH LAWN  
MOWER KIT**



**2X2 36V  
BRUSHLESS 46CM  
(18") PUSH LAWN  
MOWER KIT**

PRODUCT CODE	BLAX2-M2-EU-0	HTX2-M3-EU-0	CSX2-M2-EU-0	LPPX2-M4-EU	LPPX2-M2-EU	LSPX2-H-EU
<b>2Ah</b>	12min (Standard) 4min (Turbo)	20min	46 cuts of 100mmx100mm timber	X	X	X
<b>2.5Ah</b>	15min (Standard) 5min (Turbo)	25min	57 cuts of 100mmx100mm timber	X	X	X
<b>4Ah</b>	24min (Standard) 8min (Turbo)	40min	82 cuts of 100mmx100mm timber	18min	14min	14min
<b>5Ah</b>	30min (Standard) 10min (Turbo)	50min	103 cuts of 100mmx100mm timber	22min	18min	18min
<b>6Ah</b>	36min (Standard) 12min (Turbo)	60min	138 cuts of 100mmx100mm timber	27min	21min	21min
<b>8Ah</b>	54min (Standard) 18min (Turbo)	80min	184 cuts of 100mmx100mm timber	35min	28min	28min

BATTERY VOLTAGE

RUNTIME



**2X2 36V  
BRUSHLESS 46CM  
(18") SELF-PROPELLED  
LAWN MOWER KIT**



**2X2 36V  
BRUSHLESS  
POWER HEAD  
(TRIMMER)**



**2X2 36V  
BRUSHLESS  
POWER HEAD  
(BRUSH CUTTER)**



**2X2 36V  
BRUSHLESS  
POWER HEAD  
(POLE HEDGE  
TRIMMER)**



**2X2 36V  
BRUSHLESS  
POWER HEAD  
(CULTIVATOR)**



**2X2 36V  
BRUSHLESS  
POWER HEAD  
(EDGER)**

PRODUCT CODE	LSSX2-H-EU	S2K2B0-01	S2K2B0-01	S2K2B0-01	S2K2B0-01	S2K2B0-01
<b>2Ah</b>	X	5min (high speed) 10min (ECO)	10min (high speed) 15min (ECO)	14min (high speed) 21min (ECO)	10min (high speed) 15min (ECO)	6min (high speed) 10min (ECO)
<b>2.5Ah</b>	X	6min (high speed) 12min (ECO)	12min (high speed) 18min (ECO)	17min (high speed) 27min (ECO)	12min (high speed) 18min (ECO)	8min (high speed) 12min (ECO)
<b>4Ah</b>	13min	11min (high speed) 20min (ECO)	20min (high speed) 30min (ECO)	28min (high speed) 43min (ECO)	20min (high speed) 30min (ECO)	13min (high speed) 20min (ECO)
<b>5Ah</b>	16min	14min (high speed) 25min (ECO)	25min (high speed) 37min (ECO)	35min (high speed) 54min (ECO)	25min (high speed) 37min (ECO)	16min (high speed) 25min (ECO)
<b>6Ah</b>	19min	16min (high speed) 30min (ECO)	30min (high speed) 45min (ECO)	42min (high speed) 64min (ECO)	30min (high speed) 45min (ECO)	19min (high speed) 30min (ECO)
<b>8Ah</b>	26min	22min (high speed) 40min (ECO)	40min (high speed) 60min (ECO)	56min (high speed) 86min (ECO)	40min (high speed) 60min (ECO)	26min (high speed) 40min (ECO)

BATTERY VOLTAGE

RUNTIME

POWER UP THE

# GARDEN



**EMBRACE THE GREEN**

**UNLEASH**





**SENIX**

**X6**

**60V**

**LITHIUM-ION**

**BRUSHLESS™**

# THE IDEAL CUT



\*60V maximum initial voltage. 56V nominal voltage.

**MORE POWER.**  
**MORE WORK DONE.**



 **SENIX** | **X6** **60V**  **LITHIUM-ION**

# SENIX X6 BATTERIES AND CHARGERS

Easy to read fuel gauge quickly shows the user how much power is left during product use and while charging.

Intelligent power management optimises individual battery cells for maximum power, performance, and runtime.

Integrated heat dissipation protects battery from overheating so equipment runs longer at full power.

Shock-resistant design protects batteries from drops.

Compatible with all SENIX X6 equipment and chargers.



CHARGER	X6	X6	X6
PRODUCT CODE	CHQX6-EU	CHQX6-M-EU	CHDX6-M-EU
Rated Input Voltage	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz
Rated Input Power	360W	360W	620W
Rated Output	60V/5A	60V/8A	60V/8A
Machine Weight	1.2kg	1.8kg	2.2kg



BATTERY	X6	X6	X6	X6	X6
PRODUCT CODE	B30X6	B40X6	B60X6	B80X6	B120X6
Rated Voltage	60V	60V	60V	60V	60V
Battery Type	Lithium-ion	Lithium-ion	Lithium-ion	Lithium-ion	Lithium-ion
Rated Capacity	3Ah/168 Wh	4.0Ah/224Wh	6.0Ah/336Wh	8.0Ah/448Wh	12.0Ah/672Wh
Cell Arrangement	15S1P	15S2P	15S2P	15S2P	15S3P
Cell Type	21700	18650	21700	21700	21700

CHARGER TYPE AND CHARGING TIMES					
X6 60C Charger, 5A	30min	38min	58min	77min	115min
X6 60C Charger, 8A	24min	24min	36min	48min	72min
X6 60C Charger, 8A Dual Port (Both Batteries)	48min	48min	72min	96min	144min
X6 60C Charger, 8A Dual Port (One Battery)	24min	24min	36min	48min	72min

## BATTERY SPECIFICATIONS

- Easy to read fuel gauge quickly shows user how much power is left during product use and while charging.
- Intelligent power management optimises individual battery cells for maximum power, performance, and runtime.
- Integrated heat dissipation protects battery from overheating so equipment runs longer at full power.
- Shock-resistant design protects batteries from drops.
- Compatible with all SENIX X6 equipment and chargers.
- PCB and cell as a whole.
- Vacuum coating process, dustproof and waterproof.

## CHARGER SPECIFICATIONS

- Intelligent battery control system monitors each cell's charge and temperature to deliver the quickest, most efficient charge.
- Fan-cooled charging system prevents battery and charger from overheating.
- Charging indicator lights can monitor charging status in real time and alarm abnormal status in real time.
- Charges all X6 60V batteries.

LPPX6-H-EU

POWER UP AND GO GREEN!

# X6 60V BRUSHLESS 53CM (21") PUSH LAWN MOWER KIT


SENIX | X6 60V LITHIUM-ION BRUSHLESS



LIMITED WARRANTY  
**5** YEAR  
TOOL

**BRUSHLESS**

**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.



PRODUCT CODE	LPPX6-H-EU
Voltage	60V
Motor Type	1200W Brushless
No Load Speed	2600RPM/2800RPM/3000RPM
Mowing Function	3-in-1 (Mulching, Bagging and Side Discharge)
Cutting Capacity	53 cm (21")
Height Adjustment	38-100 mm/7 positions
Wheel Size (F/R)	20/25 cm
Collection Bag	60 L
CC Equivalent	170 CC
Weight (Tool Only)	25 kg

**KIT CONTENT**

x1	LPPX6-H-EU-D	X6 60V Brushless 53cm (21") Push Lawn Mower Skin
x1	B60X6	X6 60V Battery, 6.0Ah
x1	CHQX6-EU	X6 60V Charger, 5.0Ah

- **INTELLIGENT POWER MANAGEMENT** — Optimises each battery cell for maximum runtime and battery lifespan.
- **SIZE AND RUNTIME** — 21" cutting deck and up to 65 minutes of continuous runtime deliver precision and efficiency.
- **3-IN-1 CUTTING SYSTEM** — Switch seamlessly between mulching, bagging, and side discharge for customized lawn care.
- **PRO-LEVEL RESULTS** — 7-position height adjustment for a clean, professional finish on any grass type.
- **INTEGRATED SMART DISPLAY** — Shows battery level, mowing modes, and controls LED lights for low visibility conditions.



**53** CM  
CUTTING  
WIDTH

**60** L  
COLLECTION  
BAG

LPSX6-H-EU

POWER UP AND GO GREEN!

# X6 60V BRUSHLESS 53CM (21") SELF-PROPELLED LAWN MOWER KIT

| **X6 60V** LITHIUM-ION **BRUSHLESS**

LIMITED WARRANTY

**5** YEAR  
TOOL

**BRUSHLESS**

**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.



PRODUCT CODE	LPSX6-H-EU
Voltage	60V
Motor Type	1200W Brushless
No Load Speed	2600RPM/2800RPM/3000RPM
Mowing Function	3-in-1 (Mulching, Bagging and Side Discharge)
Drive Type	Variable Speed RWD Self-propelled
Cutting Capacity	53 cm (21")
Height Adjustment	38-100 mm/7 positions
Wheel Size (F/R)	20/25 cm
Collection Bag	60 L
CC Equivalent	170 CC
Weight (Tool Only)	27.2 kg

**KIT CONTENT**

x1	LPSX6-H-EU-0	X6 60V Brushless 53cm (21") Self-Propelled Lawn Mower Skin
x1	B80X6	X6 60V Battery, 8.0Ah
x1	CHQX6-EU	X6 60V Charger, 5.0Ah

- **INTELLIGENT POWER MANAGEMENT** — Optimises each battery cell for maximum runtime and battery lifespan.
- **SELF-PROPULSION** — Rear-wheel drive with variable speed makes mowing effortless — just walk and let the mower handle slopes and uneven terrain.
- **SIZE AND RUNTIME** — 21" cutting deck and up to 65 minutes of continuous runtime deliver precision and efficiency.
- **3-IN-1 CUTTING SYSTEM** — Switch seamlessly between mulching, bagging, and side discharge for customized lawn care.
- **PRO-LEVEL RESULTS** — 7-position height adjustment for a clean, professional finish on any grass type.
- **INTEGRATED SMART DISPLAY** — Shows battery level, mowing modes, and controls LED lights for low visibility conditions.



**53** CM  
CUTTING  
WIDTH

**60** L  
COLLECTION  
BAG

BLAX6-M1-EU-0

POWER UP AND GO GREEN!

# X6 60V BRUSHLESS 1,380M<sup>3</sup>/HR BLOWER SKIN

SENIX | X6 60V LITHIUM-ION BRUSHLESS

## BRUSHLESS



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.



**1,380** M<sup>3</sup>/HR  
AIR VOLUME

**270** KM/HR  
AIR SPEED

**CRUISE** CONTROL FUNCTIONALITY

- **INTELLIGENT POWER MANAGEMENT** — Optimises each battery cell for maximum runtime and battery lifespan.
- **HIGH PERFORMANCE POWER** — Up to 1,380m<sup>3</sup>/hr and 270km/hr blasts away leaves and debris fast, making yard cleanup a breeze.
- **PRECISION AND COMFORT WITH VERSATILITY** — Variable speed trigger lets you dial airflow exactly how you want it; cruise control keeps it steady without hand fatigue.
- **LIGHTWEIGHT DESIGN** — Maneuver easily with one hand, even in tight spots, for efficient clearing along fences and hard-to-reach places.
- **ECO MODE FOR EXTENDED BATTERY LIFE** — Intelligent power optimisation lets you work longer on a single charge without sacrificing cutting power.
- **INTELLIGENT POWER MANAGEMENT** — Optimises each battery cell to maximize runtime and extend battery lifespan, so you work longer without interruptions.

## BLAX6-M1-EU

### X6 60V BRUSHLESS 1,380M<sup>3</sup>/HR BLOWER KIT

- x1 BLAX6-M1-EU-0 X6 60V Brushless 1,380m<sup>3</sup>/hr Blower Skin
- x1 B40X6 X6 18V Battery, 4.0Ah
- x1 CHQX6-EU X6 60V Charger, 3.0Ah



LIMITED WARRANTY  
**5** YEAR  
TOOL

PRODUCT CODE	BLAX6-M1-EU-0
Maximum Voltage	60V
Rated Output Power	1300W
Motor Type	Brushless
No Load Speed	0-25000RPM
Maximum Air Speed	270 km/hr
Maximum Air Volume	1,380 m <sup>3</sup> /hr
CC Equivalent	52 CC
Machine Weight (Tool Only)	2.5 kg

BLBX6-M-EU-0

POWER UP AND GO GREEN!

# X6 60V BRUSHLESS 1,614M<sup>3</sup>/HR BACKPACK BLOWER SKIN

| **X6 60V** LITHIUM-ION **BRUSHLESS**

## BRUSHLESS



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.



**1,614** M<sup>3</sup>/HR  
AIR VOLUME

**180** MIN  
MAX RUNTIME  
ON LOW POWER

**CRUISE** CONTROL  
FUNCTIONALITY

PRODUCT CODE	BLBX6-M-EU-0
Maximum Voltage	60V
Rated Output Power	2400W
Motor Type	Brushless
No Load Speed	0-22000RPM
Maximum Air Speed	225 km/hr
Maximum Air Volume	1,614 m <sup>3</sup> /hr
Runtime (2x6A)	180 min / 20 min Turbo
CC Equivalent	64 CC
Weight (Tool only)	7.2 Kg

- **Massive 1614m<sup>3</sup>/hr Airflow** with top air speed of 225km/hr.
- **Variable Speed with Cruise Control Trigger** for maximum control and comfort in extended use.
- **Adjustable Harness Height and Strap Length** to suit any user.
- **Adjustable Nozzle Length and Position** to maximise control and comfort.
- **ECO MODE FOR EXTENDED BATTERY LIFE** — Intelligent power optimisation lets you work longer on a single charge without sacrificing cutting power.
- **Intelligent Power Management**— Optimises each battery cell to maximize runtime and extend battery lifespan, so you work longer without interruptions.



LIMITED WARRANTY

**5** YEAR  
TOOL

GTX6-M-EU-0

POWER UP AND GO GREEN!

# X6 60V BRUSHLESS 40CM (16") LINE TRIMMER SKIN

SENIX | X6 60V LITHIUM-ION BRUSHLESS

PRODUCT CODE	GTX6-M-EU-0
Maximum Voltage	60V
Rated Output Power	600W
Motor Type	Brushless
No Load Speed	ECO: 5000RPM   MAX: 6000RPM
Line Type	2.4 mm X2
Line Length	4m
Cutting Capacity	40cm
CC Equivalent	22.5CC
Weight (Tool only)	3.4kg



LIMITED WARRANTY  
**5** YEAR  
TOOL



**6,000** RPM  
NO-LOAD  
SPEED

**400** MM  
CUTTING  
WIDTH

**BRUSHLESS**



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

- **40cm CUTTING DIAMETER WITH 2.4mm TWISTED DIAMOND LINE** — Effortlessly slices through thick weeds, grass, and overgrowth for a clean cut every time.
- **ENGINEERED FOR COMFORT AND CONTROL** — Soft ergonomic arm support and pivoting handle deliver balance and ease during extended use for edging and trimming.
- **STRAIGHT SHAFT DESIGN WITH ERGONOMIC HANDLE** — Provides superior control for trimming and edging at any angle.
- **ECO MODE TO MAXIMISE EFFICIENT PERFORMANCE** — Boost runtime by 30% for light trimming while conserving battery for bigger jobs.

**GTX6-M-EU**

## X6 60V BRUSHLESS 40CM (16") LINE TRIMMER KIT

- x1 GTX6-M-EU-0 X6 60V Brushless 40cm (16") Line Trimmer Skin
- x1 B60X6 X6 60V Battery, 6.0Ah
- x1 CHQX6-EU X6 60V Charger, 5.0Ah



HTX6-M1-EU-0

POWER UP AND GO GREEN!

# X6 60V BRUSHLESS 69CM (26") HEDGE TRIMMER SKIN

SENIX | X6 60V LITHIUM-ION BRUSHLESS

LIMITED WARRANTY

5 YEAR TOOL

PRODUCT CODE	HTX6-M1-EU-0
Maximum Voltage	60V
Rated Output Power	350W
Motor Type	Brushless
No Load Speed	ECO: 2800SPM   Max: 3400SPM
Blade Length	686mm
Cutting Length	660mm
Maximum Cutting Capacity	33.5mm
Weight (Tool only)	3.86kg



+

3,400 SPM  
NO-LOAD SPEED

33.5 MM  
CUTTING CAPACITY

BRUSHLESS



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

- **686mm Dual Action Laser-Cut Blades** deliver exceptional cutting performance.
- **3,400 Strokes per Minute** and a max cut thickness of 33.5mm allows you to tackle thick hedges in a single pass.
- **Blade Tip Guard** protect blades from damage.
- **Full Wrap-Around Front Handle** for easy horizontal and vertical cutting.
- **Improved Overmould with Customised Micro-Texture** for optimum grip and user comfort.
- **ECO MODE FOR EXTENDED BATTERY LIFE** — Smart power optimisation lets you work longer on a single charge without sacrificing performance.

HTX6-M1-EU

## X6 60V BRUSHLESS 69CM (26") HEDGE TRIMMER KIT

- x1 HTX6-M1-EU-0 X6 60V Brushless 69cm (26") Hedge Trimmer Skin
- x1 B30X6 X6 60V Battery, 3.0Ah
- x1 CHX6-L X6 60V Charger, 3.0Ah



CSPX6-M-EU-0

POWER UP AND GO GREEN!

# X6 60V BRUSHLESS 25CM (10") POLE SAW SKIN

**SENIX** | **X6 60V** LITHIUM-ION **BRUSHLESS**

LIMITED WARRANTY

**5** YEAR  
TOOL

PRODUCT CODE	CSPX6-M-EU-0
Maximum Voltage	60V
Rated Output Power	1000W
Motor Type	Brushless
No Load Speed	ECO: 11000RPM   Max: 13500RPM
Chain Speed	ECO: 16m/s   Max: 20m/s
Chain & Bar Length	25cm (10")
CC Equivalent	22.5CC
Weight (Tool only)	3.5kg



**20** M/S  
CHAIN  
SPEED

**4.2** M  
MAX  
REACH

**BRUSHLESS**



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

- **20m/s Chain Speed on a 25cm (10") Bar** for smooth cutting performance.
- **4.2m Reach with Innovative 3-Stage Extension Pole** lets you safely tackle high branches without a ladder.
- **LIGHTWEIGHT, ERGONOMIC DESIGN** — Reduces user fatigue and ensures comfort during extended use.
- **Quick Clip Fix System** allows pole to be adjusted quickly and easily, without the need for a tool.
- **ECO MODE FOR EXTENDED BATTERY LIFE** — Optimizes power usage so you can work longer on a single charge without sacrificing performance.
- **ECO MODE FOR EXTENDED BATTERY LIFE** — Intelligent power optimisation lets you work longer on a single charge without sacrificing cutting power.
- **INTELLIGENT POWER MANAGEMENT** — Optimises each battery cell to maximize runtime and extend battery lifespan, so you work longer without interruptions.

CSPX6-M-EU

## X6 60V BRUSHLESS 25CM (10") POLE SAW KIT

- x1 CSPX6-M-EU-0 X6 60V Brushless 25cm (10") Pole Saw Skin
- x1 B40X6 X6 60V Battery, 4.0Ah
- x1 CHX6-L X6 60V Charger, 3.0Ah



CSX6-M-EU-0

POWER UP AND GO GREEN!

# X6 60V BRUSHLESS 40CM (16") REAR HANDLE CHAINSAW SKIN

SENIX | X6 60V LITHIUM-ION BRUSHLESS

LIMITED WARRANTY

5 YEAR TOOL

PRODUCT CODE	CSX6-M-EU-0
Maximum Voltage	60V
Rated Output Power	1800W
Motor Type	Brushless
No Load Speed	ECO: 11000RPM   Max: 13500RPM
Chain Speed	ECO: 20m/s   Max: 26m/s
Chain & Bar Length	40cm (16")
CC Equivalent	52CC
Weight (Tool Only)	3.7kg



26 M/S  
CHAIN SPEED

40CM (16")  
BAR LENGTH

BRUSHLESS



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

- **40cm (16") OREGON SPEEDCUT NANO BAR & CHAIN** — Engineered for precision and high-efficiency cutting, delivering smooth performance on hardwood, softwood, and branches.
- **POWERFUL 26m/s CHAIN SPEED** — for efficient, clean cuts with less effort.
- **LOW KICKBACK CHAIN FOR SAFETY & CONTROL** — Reduces kickback for safer operation while maintaining powerful cutting performance.
- **TOOL-FREE CHAIN TENSIONING** — Quickly and easily adjust chain tension without any tools, keeping you focused on the job.
- **ECO MODE FOR EXTENDED BATTERY LIFE** — Intelligent power optimisation lets you work longer on a single charge without sacrificing cutting power.
- **INTELLIGENT POWER MANAGEMENT** — Optimises each battery cell to maximize runtime and extend battery lifespan, so you work longer without interruptions.

CSX6-M-EU

## X6 60V BRUSHLESS 40CM (16") REAR HANDLE CHAINSAW KIT

- x1 CSX6-M-EU-0 X6 60V Brushless 40cm (16") Rear Handle Chainsaw Skin
- x1 B40X6 X6 60V Battery, 4.0Ah
- x1 CHX6-L X6 60V Charger, 3.0Ah



S6K2B0-01

POWER UP AND GO GREEN!

# X6 60V BRUSHLESS POWER HEAD AND 40CM (16") LINE TRIMMER ATTACHMENT SKINS

SENIX | X6 60V LITHIUM-ION BRUSHLESS

## BRUSHLESS



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

**Digital Two-Speed Selector and Indicator.**

**Variable Speed Trigger with Lock-off Lever for added safety.**

**All Attachments Fit BOTH X6 and 2X2 Power Heads.**



LIMITED WARRANTY

**5 YEAR TOOL**

THE ULTIMATE TOOL for residential and commercial users who want maximum flexibility with minimal space and hassle.



**AGT008**

**40CM (16") LINE TRIMMER ATTACHMENT FOR 2X2 AND X6 POWER HEAD**

**AET002**

**EDGER ATTACHMENT FOR 2X2 AND X6 POWER HEAD**

**ABC002**

**BRUSHCUTTER ATTACHMENT FOR 2X2 AND X6 POWER HEAD**

**ACT002**

**CULTIVATOR ATTACHMENT FOR 2X2 AND X6 POWER HEAD**



**ACSP005**

**POLE SAW ATTACHMENT FOR 2X2 AND X6 POWER HEAD**



**AEP001**

**EXTENSION FOR 2X2 AND X6 POWER HEAD**



**AHTP002**

**ARTICULATING HEDGE TRIMMER ATTACHMENT FOR 2X2 AND X6 POWER HEAD**

S6K2B1-07

POWER UP AND GO GREEN!

# X6 60V POWER HEAD AND LINE TRIMMER KIT

SENIX | X6 60V LITHIUM-ION BRUSHLESS



LIMITED WARRANTY

5 YEAR TOOL

BRUSHLESS



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

7,300 RPM NO-LOAD SPEED

400 MM CUTTING WIDTH



PRODUCT CODE	PHX6-M-EU-0
Maximum Voltage	60V
Rated Output Power	1200W
Motor Type	Brushless
No Load Speed	MAX: 7300RPM
Line Type	2.4 mm X2
Line Length	4m
Cutting Capacity	40cm
CC Equivalent	48CC
Weight (Tool only)	3.4kg

KIT CONTENT		
x1	PHX6-M-EU-0	X6 60V Brushless Power Head Skin
x1	AGT008	40cm (16") Line Trimmer Attachment for 2X2 and X6 Power Head
x1	B30X6	X6 60V Battery, 3.0Ah
x1	CHQX6-M-EU	X6 60V Charger, 8.0Ah

- **40cm CUTTING DIAMETER WITH 2.4mm TWISTED DIAMOND LINE** — Effortlessly slices through thick weeds, grass, and overgrowth for a clean cut every time.
- **ENGINEERED FOR COMFORT AND CONTROL** — Soft ergonomic arm support and pivoting handle deliver balance and ease during extended use for edging and trimming.
- **STRAIGHT SHAFT DESIGN WITH ERGONOMIC HANDLE** — Provides superior control for trimming and edging at any angle.
- **ECO MODE TO MAXIMISE EFFICIENT PERFORMANCE** — Boost runtime by 30% for light trimming while conserving battery for bigger jobs.

SENIX | X6 60V LITHIUM-ION BRUSHLESS

PHX6KIT2-M

# COMBO KITS

## X6 60V POWER HEAD 3-IN-1 COMBO KIT

- x1 PHX6-M-EU-0 X6 60V Brushless Power Head Skin
- x1 AGT008 40cm (16") Line Trimmer Attachment for 2X2 and X6 Power Head
- x1 AET002 Edger Attachment for 2X2 and X6 Power Head
- x1 AHTP002 Articulating Hedge Trimmer Attachment for 2X2 and X6 Power Head
- x1 B30X6 X6 60V Battery, 3.0Ah
- x1 CHQX6-M-EU X6 60V Charger, 8.0Ah



# COMBO KITS

 | **X6 60V** LITHIUM-ION **BRUSHLESS**
**S6K2B1-03**

## X6 60V 2 PIECE OPE COMBO KIT 3A

- |                  |  |
|------------------|--|
| x1 BLAX6-M1-EU-0 | X6 60V Brushless 1,380m <sup>3</sup> /hr Blower Skin |
| x1 GTX6-M-EU-0   | X6 60V Brushless 40cm (16") Line Trimmer Skin        |
| x1 B40X6         | X6 18V Battery, 4.0Ah                                |
| x1 CHQX6-EU      | X6 60V Charger, 5.0Ah                                |


**S6K2B1-01**

## X6 60V 2 PIECE OPE COMBO KIT 1A

- |                 |  |
|-----------------|--|
| x1 HTX6-M1-EU-0 | X6 60V Brushless 69cm (26") Hedge Trimmer Skin |
| x1 GTX6-M-EU-0  | X6 60V Brushless 40cm (16") Line Trimmer Skin  |
| x1 B40X6        | X6 18V Battery, 4.0Ah                          |
| x1 CHQX6-EU     | X6 60V Charger, 5.0Ah                          |


**S6K2B1-02**

## X6 60V 2 PIECE OPE COMBO KIT 2A

- |                  |  |
|------------------|--|
| x1 HTX6-M1-EU-0  | X6 60V Brushless 69cm (26") Hedge Trimmer Skin       |
| x1 BLAX6-M1-EU-0 | X6 60V Brushless 1,380m <sup>3</sup> /hr Blower Skin |
| x1 B40X6         | X6 18V Battery, 4.0Ah                                |
| x1 CHQX6-EU      | X6 60V Charger, 5.0Ah                                |



# RUNTIME MATRIX



**X6 60V BRUSHLESS 40CM (16") REAR HANDLE CHAINSAW SKIN**



**X6 60V BRUSHLESS 25CM (10") POLE SAW SKIN**



**X6 60V BRUSHLESS 1,380M³/HR BLOWER SKIN**



**X6 60V BRUSHLESS 40CM (16") LINE TRIMMER SKIN**



**X6 60V BRUSHLESS 69CM (26") HEDGE TRIMMER SKIN**



**X6 60V BRUSHLESS 53CM (21") PUSH LAWN MOWER KIT**

BATTERY VOLTAGE

PRODUCT CODE	CSX6-M-EU-O	CSPX6-M-EU-O	BLAX6-M1-EU-O	GTX6-M-EU-O	HTX6-M1-EU-O	LPPX6-H-EU
<b>3Ah</b>	108pcs (High Speed) 160pcs (Low Speed)	108pcs (High Speed) 160pcs (Low Speed)	30min (High Speed) 7.5min (Turbo)	22min (High Speed) 9min (Turbo)	39min (High Speed) 17min (Turbo)	30min
<b>4Ah</b>	144pcs (High Speed) 200pcs (Low Speed)	144pcs (High Speed) 200pcs (Low Speed)	40min (High Speed) 10min (Turbo)	29min (High Speed) 12min (Turbo)	52min (High Speed) 23min (Turbo)	40min
<b>6Ah</b>	216pcs (High Speed) 300pcs (Low Speed)	216pcs (High Speed) 300pcs (Low Speed)	60min (High Speed) 15min (Turbo)	44min (High Speed) 18min (Turbo)	78min (High Speed) 35min (Turbo)	60min
<b>8Ah</b>	288pcs (High Speed) 400pcs (Low Speed)	288pcs (High Speed) 400pcs (Low Speed)	80min (High Speed) 20min (Turbo)	58min (High Speed) 24min (Turbo)	104min (High Speed) 47min (Turbo)	80min
<b>12Ah</b>	432pcs (High Speed) 600pcs (Low Speed)	432pcs (High Speed) 600pcs (Low Speed)	120min (High Speed) 30min (Turbo)	87min (High Speed) 36min (Turbo)	156min (High Speed) 70min (Turbo)	120min

RUNTIME



**X6 60V BRUSHLESS 53CM (21") SELF-PROPELLED LAWN MOWER KIT**



**X6 60V BRUSHLESS POWER HEAD (TRIMMER)**



**X6 60V BRUSHLESS POWER HEAD (BRUSH CUTTER)**



**X6 60V BRUSHLESS POWER HEAD (POLE HEDGE TRIMMER)**



**X6 60V BRUSHLESS POWER HEAD (CULTIVATOR)**



**X6 60V BRUSHLESS POWER HEAD (EDGER)**

BATTERY VOLTAGE

PRODUCT CODE	LPSX6-H-EU	S6K2B0-01	S6K2B0-01	S6K2B0-01	S6K2B0-01	S6K2B0-01
<b>3Ah</b>	24min	12min (high speed) 20min (ECO)	20min (high speed) 30min (ECO)	39min (high speed) 56min (ECO)	25min (high speed) 37min (ECO)	15min (high speed) 19min (ECO)
<b>4Ah</b>	32min	16min (high speed) 26min (ECO)	26min (high speed) 40min (ECO)	52min (high speed) 74min (ECO)	33min (high speed) 49min (ECO)	20min (high speed) 25min (ECO)
<b>6Ah</b>	48min	24min (high speed) 40min (ECO)	40min (high speed) 60min (ECO)	78min (high speed) 112min (ECO)	50min (high speed) 74min (ECO)	30min (high speed) 38min (ECO)
<b>8Ah</b>	65min	32min (high speed) 53min (ECO)	53min (high speed) 80min (ECO)	104min (high speed) 149min (ECO)	66min (high speed) 98min (ECO)	40min (high speed) 50min (ECO)
<b>12Ah</b>	97min	48min (high speed) 80min (ECO)	80min (high speed) 120min (ECO)	156min (high speed) 224min (ECO)	100min (high speed) 148min (ECO)	60min (high speed) 76min (ECO)

RUNTIME



**THE WORLD'S FIRST**

# HYBRID

# ZERO TURN RIDE ON MOWER

**X6** 60V  **BRUSHLESS**<sup>™</sup>  
LITHIUM-ION

**X6 60V 107CM (42") HYBRID  
ZERO TURN RIDE ON MOWER**



CUTTING UP TO

7.5

ACRES

≈ ABOUT TWO CRICKET OVALS  
WHEN USING 4 X 12AH  
BATTERIES IN COMBINATION  
WITH PETROL

USES UP TO  
**50%**  
LESS FUEL

Compared to  
pure-petrol ZTRs



**RANGESYNC**

RANGESYNC functionality allows users to seamlessly switch between Electric Mode, Hybrid Mode, and Petrol Mode at the press of a button. Experience smooth mode transition never before seen on a Zero-Turn Mower.

## HYBRIDTORQUE




Our innovative HYBRIDTORQUE 4.2kW inverter-driven system seamlessly blends the power and endurance of petrol with the quiet efficiency of battery.

This delivers an advanced hybrid experience that maximises both performance and runtime.

## ACTIVE COOLING



A high-efficiency battery cooling system that optimises heat dissipation through dual-side fan coordination, preventing overheating and enhancing machine safety and reliability.



**UP TO 3000 RPM**  
BLADE SPEED



**15° CUTTING SLOPE**  
MOW EVERYWHERE



**5-INCH LCD SCREEN**  
CONTROL YOUR RIDE

**15° WARNING MESSAGE**  
**>25° AUTOMATIC BLADE STOP**

**AIR SEAT**

**AUTOMATIC RETURN TO NEUTRAL POSITION**

**CUP HOLDER**

**SMOOTH ZERO-RADIUS STEERING CONTROL**

**360° FULL COVERAGE LIGHTING**

**FOOT & SCALE DIAL HEIGHT ADJUSTMENT**

**ANTI-SLIP DESIGN**



# THE BEST OF BOTH WORLDS



With a fully charged battery, the vehicle becomes **pure electric**. When SOC (State Of Charge) is low, it transforms into an ultra-low fuel consumption **hybrid** vehicle.

- ✓ Prioritises electric power with minimal reliance on fuel.
- ✓ Kinder to the environment.
- ✓ Offers greater energy efficiencies and lower fuel consumption.
- ✓ Creates a quiet and comfortable ride.
- ✓ Supplies high-power performance and responsiveness.

## X6 60V 107CM (42") HYBRID ZERO TURN RIDE ON MOWER **BRUSHLESS™**

SKU		ZTRX6-H-EU			
Deck Size	42inch / 107cm	Deck Thickness	12 Gauge		
Rated Voltage	60V	Deck Style	Pressed		
Petrol Generator	<b>Yes</b>	Motor Type	Brushless		
Cutting Motor Rated Power	2x1.2KW	Motor Quantity	4		
Turning Radius	0°	Driving Models	ECO/TURBO		
Blade Speed (rpm)	2400-3000	LCD Display (5inch)	Yes		
Battery Capacity (optional)	3Ah/4Ah/6Ah/8Ah/12Ah	LED Lights	<b>360°</b>		
Max. Battery Quantity (included)	4pcs	USB Port Type	Type-A & Type-C (5V)		
Blade Quantity	2	Cup-holder	Yes		
Slope	<b>15°</b>	Phone-holder	Yes		
Driving Speed	position 1	ECO:2km/hr TURBO:3.2km/hr	Charger <small>Industry's fastest charger</small>	Rated Power	1600W
	position 2	ECO:4km/hr TURBO:6.4km/hr		Input	220-240V a.c.,50Hz
	position 3	ECO:6km/hr TURBO:9.6km/hr		Output	60V 24A
	position 4	ECO:8km/hr TURBO:12.8km/hr		Charging time	135min
Cutting-height adjustment	<b>25-115mm (15 positions)</b>	3-in-1 Function	mulching, bagging, side-discharge		
Height Adjust Mode	Foot-Assist Manual Adjustment	IPX Class	IPX4		
Cutting Capacity (in Hybrid mode) <small>when using 4 x 12Ah batteries in combination with petrol</small>	<b>Up to 7.5 Acres (30,351m²)</b>	Net Weight (Kg)	282kg		

ZTR WARRANTY	APPLICATION	EXAMPLE	WARRANTY
	Residential	Private use in large residential blocks	3 Years / 500 Hours
	Manicured Light-Business	Schools, Retirement Homes, Caravan Parks etc	2 Years / 300 Hours
	Contractor	Mowing Franchise	1 year / 50 Hours

**ZTRX6-M-EU**
**POWER UP AND GO GREEN!**

# X6 60V 107CM (42") PURE-POWER ZERO TURN RIDE ON MOWER

 | **X6 60V** LITHIUM-ION **BRUSHLESS™**

**BRUSHLESS**


**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

PRODUCT CODE		ZTRX6-M-EU			
Deck Size	107cm (42")	Deck Thickness	12 Gauge		
Rated Voltage	60V	Deck Style	Pressed		
Petrol Generator	<b>No</b>	Motor Type	Brushless		
Cutting Motor Rated Power	2x1.2KW	Motor Quantity	4		
Turning Radius	0°	Driving Models	ECO/TURBO		
Blade Speed (RPM)	2400-3000	LCD Display (5inch)	Yes		
Battery Capacity (optional)	3Ah/4Ah/6Ah/8Ah/12Ah	LED Lights	<b>360°</b>		
Max. Battery Quantity (included)	6	USB Port Type	Type-A & Type-C (5V)		
Blade Quantity	2	Cup-holder	Yes		
Slope	<b>15°</b>	Phone-holder	Yes		
Driving Speed	position 1	ECO:2km/hr TURBO:3.2km/hr	Charger <small>Industry's fastest charger</small>	Rated Power	1600W
	position 2	ECO:4km/hr TURBO:6.4km/hr		Input	220-240V a.c,50Hz
	position 3	ECO:6km/hr TURBO:9.6km/hr		Output	60V 24A
	position 4	ECO:8km/hr TURBO:12.8km/hr		Charging time	135min
Cutting-height adjustment	<b>25-115mm (15 positions)</b>	3-in-1 Function	mulching, bagging, side-discharge		
Cutting Capacity	<b>Up to 3.5Acres (6 x 12Ah)</b>	IPX Class	IPX4		
		Net Weight (Kg)	282kg		

ZTR WARRANTY	APPLICATION	EXAMPLE	WARRANTY
	Residential	Private use in large residential blocks	3 Years / 500 Hours
	Manicured Light-Business	Schools, Retirement Homes, Caravan Parks etc	2 Years / 300 Hours
	Contractor	Mowing Franchise	1 year / 50 Hours



DIRECT CHARGER FOR ZTR		<b>X6</b>
PRODUCT CODE	CHQE16-H1-EU	
Charger Input	100-240 V a.c, 50 Hz 1600W	
Charger Output	60V	
Quick-Charge time	200Min (6 x 12Ah)	
Charger Weight (Net)	4.92kg	
Operating Temperature	-5°C--45°C	
Storing Temperature	-20°C--55°C	

ZTRX6-M1-EU

POWER UP AND GO GREEN!

# X6 60V 137CM (54") PURE-POWER ZERO TURN RIDE ON MOWER

**SENIX** | **X6 60V** LITHIUM-ION **BRUSHLESS**



### BRUSHLESS



**Brushless Technology** provides Maximum Power, Extended Runtime and Longer Motor Life.

PRODUCT CODE		ZTRX6-M1-EU			
Deck Size	137cm (54")	Deck Thickness	12 Gauge		
Rated Voltage	60V	Deck Style	Pressed		
Petrol Generator	<b>No</b>	Motor Type	Brushless		
Cutting Motor Rated Power	3x1.2KW	Motor Quantity	4		
Turning Radius	0°	Driving Models	ECO/TURBO		
Blade Speed (RPM)	2400-3000	LCD Display (5inch)	Yes		
Battery Capacity (optional)	3Ah/4Ah/6Ah/8Ah/12Ah	LED Lights	<b>360°</b>		
Max. Battery Quantity (included)	6	USB Port Type	Type-A & Type-C (5V)		
Blade Quantity	3	Cup-holder	Yes		
Slope	<b>15°</b>	Phone-holder	Yes		
Driving Speed	position 1	ECO:2km/hr TURBO:3.2km/hr	Charger <small>Industry's fastest charger</small>	Rated Power	1600W
	position 2	ECO:4km/hr TURBO:6.4km/hr		Input	220-240V a.c,50Hz
	position 3	ECO:6km/hr TURBO:9.6km/hr		Output	60V 24A
	position 4	ECO:8km/hr TURBO:12.8km/hr		Charging time	135min
Cutting-height adjustment	<b>25-115mm (15 positions)</b>	3-in-1 Function	mulching, bagging, side-discharge		
Cutting Capacity	<b>Up to 4Acres (6 x 12Ah)</b>	IPX Class	IPX4		
		Net Weight (Kg)	282kg		

ZTR WARRANTY	APPLICATION	EXAMPLE	WARRANTY
	Residential	Private use in large residential blocks	3 Years / 500 Hours
	Manicured Light-Business	Schools, Retirement Homes, Caravan Parks etc	2 Years / 300 Hours
	Contractor	Mowing Franchise	1 year / 50 Hours



DIRECT CHARGER FOR ZTR		<b>X6</b>
PRODUCT CODE	CHQE16-H1-EU	
Charger Input	100-240 V a.c, 50 Hz 1600W	
Charger Output	60V	
Quick-Charge time	200Min (6 x 12Ah)	
Charger Weight (Net)	4.92kg	
Operating Temperature	-5°C--45°C	
Storing Temperature	-20°C--55°C	

# ALL MUSCLES NO FEELING NO FEELING





**SENIX**

**40L**®

2025





# WHY CHOOSE 4-CYCLE?

 **SENIX** | 



**Quantitative Lubrication - Ultimate 4-Cycle Engine**

Our patented 4QL technology is unidirectional quantitative lubrication that prevents flooding, leaks, and keeps the motor lubricated in any direction.



**All-Direction Use**



**Mix-Free Fueling**

No Mixing of Fuel and Petrol



**Lower Emissions\***



**Lower Noise Level\***



**Light Weight**



Up to 50% lower emissions compared to 2-stroke engines.

**GTS4QL-L-EU**

# 4QL<sup>®</sup> 26.5CC 4-STROKE PETROL STRAIGHT-SHAFT LINE TRIMMER

|



LIMITED WARRANTY

**2** YEAR  
TOOL

PRODUCT CODE	GTS4QL-L-EU
Engine Type	4-Cycle, 26.5 cc
Cutting Swath	45 cm
Line Diameter	24 mm
Line Feeding	Dual Bump-feed
Shaft Length	1.4 m
Fuel Tank Capacity	280 ml
Oil Tank Capacity	59 ml
Weight	5.4 kg

- ADVANCED 4QL<sup>®</sup> 26.5CC 4-CYCLE ENGINE** — Powerful 26.5cc 4QL<sup>®</sup> 4-Cycle full crank engine with low vibration, requires no mixing of petrol and oil, more compact and lightweight than traditional 4-stroke engines.
- QUIETER, CLEANER OPERATION** — Lower emissions and less noise than traditional 2-stroke engines.
- 43CM CUTTING WIDTH** — Larger cutting width = faster yard work.
- CURVED SHAFT ERGONOMICS** — Easier control, better posture, reduced fatigue.
- SPACE SAVER** — Tool-free, detachable shaft for easy storage and transport.



**7,000** RPM  
NO-LOAD  
SPEED

---

**450** MM  
CUTTING  
WIDTH

HT4QL-L-EU

# 4QL<sup>®</sup> 26.5CC 4-STROKE PETROL HEDGE TRIMMER

|



LIMITED WARRANTY

**2** YEAR  
TOOL



PRODUCT CODE	HT4QL-L-EU
Engine Type	4-Cycle, 26.5 cc
Engine Power	650 W
Blade Length	560mm / 22" Dual Action Blade
Cutting Capability	28 mm
Rotating Handle	0°, 90°, 180°
Fuel Tank Capacity	280 ml
Oil Tank Capacity	59 ml
Weight	4.9 kg

**3,800** SPM  
NO-LOAD  
SPEED

**279** MM  
CUTTING  
CAPACITY

- **ADVANCED 4QL<sup>®</sup> 26.5CC 4-CYCLE ENGINE** — Powerful 26.5cc 4QL<sup>®</sup> 4-Cycle full crank engine with low vibration, requires no mixing of petrol and oil, more compact and lightweight than traditional 4-stroke engines.
- **QUIETER, CLEANER OPERATION** — Lower emissions and less noise than traditional 2-stroke engines.
- **560MM DUAL-ACTION, LASER-CUT BLADES** — Fast, clean cuts through thick branches.
- **CUTS UP TO 28MM DIAMETER** — Handles the heavy stuff.
- **ROTATING REAR HANDLE** — Trim vertically, horizontally, or diagonally with full control.
- **LIGHTWEIGHT AND BALANCED** — Comfortably manoeuvrable for precise shaping.



BL4QL-L-EU

# 4QL<sup>®</sup> 26.5CC 4-STROKE PETROL BLOWER

|



LIMITED WARRANTY

**2** YEAR  
TOOL



PRODUCT CODE	HT4QL-L-EU
Engine Type	4-Cycle, 26.5 cc
Engine Power	650 W
Air Volume	697 m <sup>3</sup> /hr
Air Speed	200 km/hr
Fuel Tank Capacity	280 ml
Oil Tank Capacity	59 ml
Weight	4.3 kg

**697** M<sup>3</sup>/HR  
AIR VOLUME

**200** KM/H  
AIR SPEED

- **ADVANCED 4QL<sup>®</sup> 26.5CC 4-CYCLE ENGINE** — Powerful 26.5cc 4QL<sup>®</sup> 4-Cycle full crank engine with low vibration, requires no mixing of petrol and oil, more compact and lightweight than traditional 4-stroke engines.
- **QUIETER, CLEANER OPERATION** — Lower emissions and less noise than traditional 2-stroke engines.
- **696M<sup>3</sup>/HR + 200KM.HR AIRFLOW** — High-velocity clearing performance to handle heavy, wet debris.
- **LIGHTWEIGHT, ERGONOMIC DESIGN** — All-day usability without arm fatigue.
- **TOP-MOUNTED CONTROLS** — Intuitive and easy to reach while in motion.
- **CLEAR FUEL TANK WINDOW** — Easily check fuel levels on the fly.



**TL4QL-L1-EU**

# 4QL® 46CC 4-STROKE PETROL TILLER CULTIVATOR



LIMITED WARRANTY

**2 YEAR  
TOOL**

- **ADVANCED 4QL® 46CC 4-CYCLE ENGINE** — Powerful 46cc 4QL® 4-Cycle full crank engine with low vibration, requires no mixing of petrol and oil, more compact and lightweight than traditional 4-stroke engines.
- **POWERFUL TILLING PERFORMANCE** — 40cm tilling width, 20cm depth, and 6 steel tines for efficient soil preparation, breaking through compacted soil, roots, and clay.
- **EASE OF USE** — Auto choke for easy starting, foldable handle for compact storage, and all-angle lubrication for reliable performance.
- **LIGHTWEIGHT + PORTABLE** — Manoeuvres easily between gardens, yards, and flower beds.
- **PRO-GRADE CONTROL & COMFORT** — Self-propelled forward-rotating tines and adjustable handlebar (157cm to 193cm) for enhanced comfort and control.
- **CUSHIONED HANDLE GRIPS** — Extra comfort for longer sessions.



**20 CM**  
WORKING  
DEPTH

**250 RPM**  
NO-LOAD  
SPEED

PRODUCT CODE	TL4QL-L1-EU
Engine Type	4-Cycle
Rated Power Speed	250 RPM
Blade Cutting Width	380 mm
Blade Cutting Depth	200 mm
Fuel Tank Capacity	798 ml
Oil Tank Capacity	100 ml
Weight	14.4 kg


EA4QL-L-EU

# 4QL® 37CC 4-STROKE PETROL 200MM EARTH AUGER



LIMITED WARRANTY

**2** YEAR  
TOOL



- ADVANCED 4QL® 49CC 4-CYCLE ENGINE** — Powerful 26.5cc 4QL® 4-Cycle full crank engine with low vibration, requires no mixing of petrol and oil, more compact and lightweight than traditional 4-stroke engines.
- QUIETER, CLEANER OPERATION** — Lower emissions and less noise than traditional 2-stroke engines.
- With a 200mm Bit Diameter and 24 RPM Gear-reduced Torque**, this auger delivers high-performance drilling power ideal for fencing, planting, or construction.

**200** MM  
WORKING  
DEPTH

**24** RPM  
NO-LOAD  
SPEED

PRODUCT CODE	TL4QL-L1-EU
Engine Displacement	37 cc
Running Watts	1000 W
Max. revolutions	24 RPM
Gear Ratio	29 : 1
Auger bit type	Single blade
Bit diameter	200 mm
Fuel tank capacity	900 ml
Weight	11.8 kg

GTS4QL-L-EU

# 4QL<sup>®</sup> 26.5CC MULTI-TOOL 6-IN-1

WITH LINE TRIMMER / BRUSHCUTTER / EDGER / POLE PRUNER / HEDGE TRIMMER / TILLER



LIMITED WARRANTY

2 YEAR TOOL



PRODUCT CODE	GTS4QL-L-EU
Engine Displacement	26.5cc
Running Watts	650W
Max revolutions	8,600 RPM
Fuel Tank Capacity	280ml

**3,800 RPM**  
NO-LOAD SPEED

**280 ML**  
FUEL TANK CAPACITY




- POWERFUL 26.5CC ENGINE** – Delivers 650W and 8600 RPM for reliable performance across all tasks.
- 6 TOOLS IN 1** – One engine powers six interchangeable attachments for complete garden maintenance, replacing multiple bulky tools.
- QUICK-SWAP ATTACHMENTS** – Tool-free changes between accessories save time and hassle.
- DURABLE ALUMINIUM SHAFTS** – Strong yet lightweight across all attachments for better control and reduced fatigue.
- PRECISION CUTTING** – From edging to pruning to cultivating, each attachment is built for clean, efficient results.



### LINE TRIMMER ATTACHMENT

Cut Width	40cm
Shaft Material	Aluminium
Weight	1.25kg



### BRUSHCUTTER ATTACHMENT

Cut Width	25cm
Blade Type	4 Tooth
Shaft Material	Aluminium
Weight	1.37kg




### EDGER ATTACHMENT

Blade Type	19cm Double-Edge Blade
Cut Depth	6.3cm
Guide Wheel	Yes
Debris Guard	Yes
Weight	2.5kg



### POLE PRUNER ATTACHMENT

Bar Length	20cm (8") Oregon
Chain Pitch	3/8"
Shaft Material	Aluminium
Weight	1.2kg
Oil Tank Capacity	70ml



### HEDGE TRIMMER ATTACHMENT

Blade Length	44cm
Cutting Capacity	2.5cm
Cutting Angle	10 positions, 0°-270°
Shaft Material	Aluminium
Weight	2kg



### TILER ATTACHMENT

Blades	4 tines with 4 blades each
Working width	23cm
Working depth	20cm
Shaft Material	Aluminium
Weight	5.5kg

# THE **GLASS**

 **SENIX** | **PETROL**



**RATO**  
**HONDA**

**PETROL ENGINES** to help you  
get any yard job done.



# SENIX



LSPG-M9-EU

# PETROL 46CM 144CC PUSH LAWN MOWER

SENIX | PETROL

**RATO**  
ENGINES CERTIFIED

LIMITED WARRANTY

**2** YEARS DOMESTIC

**6** MONTHS COMMERCIAL

**460** MM CUTTING WIDTH

**60** L COLLECTION BAG



- **HEAVY-DUTY METAL CHASSIS** — for greater strength and longer life.
- **ERGONOMIC HANDLE BAR** — the ergonomic angle of the handle bar in combination with easy to reach bail arms makes operation easier.
- **SINGLE LEVER HEIGHT ADJUSTER** — quick and easy adjustment of the grass cutting height. One lever controls the whole deck.
- **LARGE-CAPACITY** — half plastic half nylon grass-bag.
- **EASY FOLDBLE HANDLE BAR** — easily fold the handle to minimize space required for storing and transportation.

PRODUCT CODE	LSPG-M9-EU
Power	2500W
Engine	OHV, 4-stroke, air-cooled, Rato engine without brake with paper filter.
Displacement	144.3CC 3.4HP
No-Load Speed	3100 rpm
Blade	Two swing blade
Deck	Metal Deck
Cutting Capacity	460mm
Wheel Size (Front/Rear)	(20cm/20cm) PVC with ball bearing
Grass Bag	60L half plastic half nylon
Fuel Tank	0.8L
Oil Tank	0.5L
Starting System	Pull start
Cutting Height Adjustment	8 Stage Central
Cutting Height	20mm-80mm
Weight (Tool Only)	25.5Kg

LSPG-M10-EU

# PETROL 46CM 170CC PUSH LAWN MOWER

SENIX | PETROL

**RATO**  
ENGINES CERTIFIED

LIMITED WARRANTY

**2** YEARS  
DOMESTIC

**6** MONTHS  
COMMERCIAL

**460** MM  
CUTTING  
WIDTH

**60** L  
COLLECTION  
BAG



- **HEAVY-DUTY METAL CHASSIS** — for greater strength and longer life.
- **ERGONOMIC HANDLE BAR** — the ergonomic angle of the handle bar in combination with easy to reach bail arms makes operation easier.
- **SINGLE LEVER HEIGHT ADJUSTER** — quick and easy adjustment of the grass cutting height. One lever controls the whole deck.
- **LARGE-CAPACITY** — half plastic half nylon grass-bag.
- **EASY FOLDABLE HANDLE BAR** — easily fold the handle to minimize space required for storing and transportation.

PRODUCT CODE	LSPG-M10-EU
Power	2800W
Engine	OHV, 4-stroke, air-cooled, Rato engine without brake with paper filter.
No-Load Speed	3100 rpm
Blade	Four swing blade
Deck	Metal Deck
Cutting width	460mm
Wheel Size (Front/Rear)	(20cm/20cm) PVC with ball bearing
Grass Bag	60L half plastic half nylon
Fuel tank	0.8L
Oil tank	0.5L
Starting system	Pull start
Cutting Height Adjustment	8 Stage Central
Cutting height	20mm-80mm
Weight (Tool Only)	26.3Kg

LSPG-M20-EU

# PETROL 46CM (18") 166CC PUSH LAWN MOWER



**LIMITED WARRANTY**  
**2** YEARS DOMESTIC  
**6** MONTHS COMMERCIAL

SENIX | PETROL



**460** MM CUTTING WIDTH  
**60** L COLLECTION BAG



PRODUCT CODE	LSPG-M20-EU
Engine	166cc Honda S4GB GCV170 4.9HP
Power	3.6KW
No-Load Speed	2800rpm
Fuel Tank	0.91L
Oil Tank	0.4L
Deck	Steel
Cutting Width	18" (460mm)
Drive Type	Push
Cutting Height	20mm-80mm with 8 heights
Blade	Quad Swing
Rear Collection	60L

- **ENGINE: HONDA GCV170 (166CC, OHV, 4-STROKE, AIR-COOLED)** — Delivers high torque output, improved fuel efficiency, and consistent performance in varied mowing conditions.
- **CHASSIS: HEAVY-DUTY METAL CONSTRUCTION** — Engineered for durability and structural integrity under prolonged commercial or residential use.
- **CUTTING HEIGHT ADJUSTMENT: 20MM - 80MM** — Seven-stage height adjustment range allows for precision turf management across multiple grass types and conditions.
- **CUTTING SYSTEM: 18" (457MM) QUAD SWING-BACK BLADE CONFIGURATION** — Maximizes cutting efficiency while offering superior impact protection and blade longevity.
- **OPERATION: MANUAL PUSH DRIVE** — Optimised for user control and manoeuvrability in tight or irregularly shaped areas.

LSPG-M13-EU

# PETROL 51CM (18") 166CC PUSH LAWN MOWER

SENIX | PETROL



LIMITED WARRANTY

**2** YEARS DOMESTIC

**6** MONTHS COMMERCIAL

**510** MM CUTTING WIDTH

**60** L COLLECTION BAG



- **60 L Grass Bag with Full Collection Indicator** conveniently detaches to dispose of grass clippings.
- **2-in-1 Mulching or Bagging** gives the user options for how to dispose of clippings.
- **The Folding Handle and an Additional Carry Handle** allow for easy storage.

PRODUCT CODE	LSPG-M13-EU
Engine Type	OHV,4-stroke, air-cooled,BS DOV750 engine with brake
Cutting Width	51cm
No Load Speed	2850 RPM
Rated power	2.5kw
Height Adjustment	15mm-80mm with 8 levels,central
Wheel Size (F/R)	200mm/250mm
Wheel Material	PVC with ball bearing
Deck Material	Steel
Rear Collection	60L (half plastic half nylon)
Blade	Four swing blade
Drive Type	Hand Push

**BCUTS-M4-EU**

# PETROL 42.7CC BRUSHCUTTER


**SENIX | PETROL**

**LIMITED WARRANTY**

**2 YEARS DOMESTIC**

**6 MONTHS COMMERCIAL**

PRODUCT CODE	BCUTS-M4-EU
Engine	42.7cc Two- Stroke Engine
Rated power	1.2kw
Cutting diameter	255mm(blade)/430mm(line)
Engine Rated Speed	7500RPM
Fuel mixture ratio: Gasoline	Two-cycle Oil (40:1)
Fuel Tank Capacity	900ml
Easy to start	Yes
Certification	EV5
Carburetor	Diaphragm
Weight (Only Body)	6.5kg



**255 MM CUTTING WIDTH**

**7,500 RPM NO-LOAD SPEED**



- **ERGONOMIC HANDLE FOR COMFORTABLE USE** — Designed with User Comfort in Mind, allowing for extended operation with less fatigue.
- **PRIMER BULB FOR EASY STARTING** — Equipped with a primer bulb to ensure smoother and quicker starts.
- **AUTOMATIC LINE FEED FOR CONVENIENCE** — Features a user-friendly automatic threading system that's easy to assemble and disassemble.
- **HIGH-POWER ENGINE WITH FUEL EFFICIENCY** — Offers increased engine performance with reduced fuel consumption and efficient heat dissipation.
- **EFFORT-SAVING STARTER MECHANISM** — Specially engineered starter design reduces the effort required to start the engine.

CSTS-M3-EU

# PETROL 54CC 20" REAR HANDLE CHAINSAW

LIMITED WARRANTY

**2** YEARS DOMESTIC

**6** MONTHS COMMERCIAL

SENIX | PETROL

PRODUCT CODE	CSTS-M3-EU
Power	2300W
Engine	Two-Stroke Engine
Engine Idle Speed	3000±300/min
Engine High Speed	11500±300/min
Bar Length	50.8cm
Fuel mixture ratio (Gasoline: Two-cycle Oil)	(25:1)
Fuel Tank Capacity	550ml
Oil Tank Capacity	260ml
Easy to start	Yes
Weight (Tool Only)	6.5kg



**51** CM  
BAR  
LENGTH

**11,500** RPM  
NO-LOAD  
SPEED



- **High-performance Walbro® Carburetor** for smooth fuel delivery and reliable power.
- **The Trusted NGK® Spark Plug** ensures fast, easy starts, while the Oregon® bar and chain deliver clean, precise cuts every time.
- **Side Chain Tensioning** can be adjusted quickly and easily.
- **Effective Shock Absorption System** to protect the operator's arms and hands.
- **Snap-lock Cylinder Heads** save time replacing and cleaning spark plugs.
- **Combined Dampers/Switches and Oil Filler Pumps** make it easy to start the chainsaw.
- **The Engine and Starter Design** allows the machine to be started quickly and with minimal effort.

***HOOKED UP TO***  
***ENDLESS***  
***POWER***

 ***SENIX | AC***

PAE10.1-M1-EU

# AC CORDED 1010W 125MM ANGLE GRINDER KIT



LIMITED WARRANTY

**2** YEAR  
TOOL

SENIX | AC



**125** MM  
MAX. DISC  
DIAMETER

**11,000** RPM  
NO LOAD  
SPEED

**Brushed Motor Provides**  
Maximum Power, Extended  
Runtime, and Longer  
Motor Life.

- **HIGH-PERFORMANCE 1010W MOTOR** — Delivers serious grinding power with a compact form factor — ideal for both cutting and surface preparation.
- **PRECISION CONTROL WITH 11,000 RPM NO-LOAD SPEED** — Provides clean, efficient cutting and grinding performance across a wide range of materials.
- **ERGONOMIC DESIGN FOR COMFORT & SAFETY** — Slim barrel grip, dual side handle mounting points, and a spindle lock ensure user comfort and quick accessory changes.
- **ADJUSTABLE WHEEL GUARD** — Allows for easy repositioning to suit various cutting or grinding angles, enhancing safety and versatility.
- **RESTART PROTECTION FEATURE** — Prevents accidental startup after a power loss, protecting both user and equipment.
- **DURABLE BUILD QUALITY** — Die-cast aluminium gear housing ensures long service life even under heavy-duty usage.



PRODUCT CODE	PAE10.1-M1-EU
Voltage	220-240V - 50-60Hz
Power	1010W
No-Load Speed	11,000 RPM
Disc Size	125mm
Disc Bore Size	22.2mm
Side Handle Screw	M10
Included Accessories	Grinding Disc, Cutting Disc, Blow-Mould Case

KIT CONTENT		
x1	PAE10.1-M1-EU	AC Corded 1010W 125mm Angle Grinder Skin
x1	-	Blowmould Case
x1	-	Grinding Wheel
x1	-	Cutting Wheel



LIMITED WARRANTY

**2** YEAR  
TOOL

SCE12-L-EU

# AC CORDED 1300W 32CM (13") LAWN SCARIFIER / DETHATCHER

SENIX | AC



**3,000** RPM  
NO-LOAD  
SPEED

**320** MM  
CUTTING  
WIDTH

PRODUCT CODE	SCE12-L-EU
Rated Power	1300W
No-Load Speed	3000rpm
Cutting Width	32cm (12.6")
Cutting Depth	-10mm to +5mm (4 positions)
Adjustable Height	4 Positions
Collection Bag	30L
2-in-1 Function	Dethatching Tines & Scarifier Blades
Warranty	2 Years

- COMPACT YET CAPABLE (1300W MOTOR)** — Efficient power delivery for small to medium-sized lawns without excess bulk.
- DUAL FUNCTIONALITY - 2-IN-1 DESIGN** — Easily switch between dethatching and scarifying blades for year-round lawn care.
- FOLDABLE HANDLE** — Smart folding design for space-saving storage in sheds and garages.
- DEPTH ADJUSTMENT (4 LEVELS)** — Select from -10mm to +5mm to target surface thatch or deeper soil aeration.
- LIGHTWEIGHT & MANOEUVRABLE** — Perfectly suited for residential use with easy handling and minimal effort.
- INCLUDES 30L COLLECTION BAG** — Captures debris as you work, keeping your yard clean and reducing manual cleanup.

SCE16-L-EU

# AC CORDED 1600W 38CM (15") LAWN SCARIFIER / DETHATCHER

SENIX | AC



LIMITED WARRANTY

**2** YEAR  
TOOL



**3,000** RPM  
NO-LOAD  
SPEED

**380** MM  
CUTTING  
WIDTH

PRODUCT CODE	SCE16-L-EU
Rated Power	1600W
No-Load Speed	3000rpm
Cutting Width	38cm (15.0")
Cutting Depth	-10mm to +10mm (5 positions)
Adjustable Height	5 Positions
Collection Bag	50L
2-in-1 Function	Dethatching Tines & Scarifier Blades
Warranty	2 Years

- POWERFUL 1600W MOTOR** — Designed for larger yards and tougher jobs, delivering consistent dethatching and scarifying performance.
- 38CM WIDE CUTTING PATH** — Covers more ground in less time — ideal for bigger lawns and faster job completion.
- 2-IN-1 BLADE SYSTEM** — Easily switch between dethatching and scarifying blades for year-round lawn care.
- ADJUSTABLE WORKING DEPTH (5 SETTINGS)** — Greater control with -10mm to +10mm range and a fifth setting for fine-tuned performance.
- HIGH-CAPACITY 50L COLLECTION BAG** — Reduces downtime from frequent emptying and improves overall efficiency.
- FOLDABLE HANDLE FOR COMPACT STORAGE** — Convenient to pack away even in tight spaces without disassembly.





## STANDARD WARRANTY

PRODUCT CATEGORY	WARRANTY PERIOD (FROM ORIGINAL PURCHASE DATE)
Lithium Power Tools	5 years
Lithium Battery Packs	3 years
Chargers	3 years
Petrol Products	2 years for domestic use or 6 months for commercial use (or any other non-domestic use)
AC Corded Products	2 years
Power Stations	2 years



# UNSTOPPABLE POWER



**FACEBOOK**

Senix Australia



**INSTAGRAM**

Senix Australia



**YOUTUBE**

SENIX Global



**E-MAIL**

@senixtool.com.au

[www.senix.com.au](http://www.senix.com.au)